

3M X90w

3 M X 9 0 W



The stationary X90w LCD projector from 3M has 4000 Ansi lumens, a contrast of 1000:1 in theater mode and an XGA 1024 x 768 resolution. The integrated media player can play files directly. The built-in lens shift and keystone correction function provides freedom when setting up. The projector can illuminate images up to 551 cm wide thanks to its 4000 Ansi lumens. The projector can create rooms with residual light with a smaller image width, max. 367 cm is recommended. This model is no longer offered by 3M.



3 x 0,79" LCD TFT Panel
XGA 4/3 Liquid Crystal Display

Projector

4000 / 3200 im Eco Mode
1000:1 full on/off im Theatre Mode
4,0000 min. Lumen

Screen

1294 Lux (bei 203 cm Screen)
1000:1 full on/off im Theatre Mode
1.298 min. Lumen

Brief Introduction

Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

Vert.: +41% -0% manuell
XGA 1024 x 768

786.432 Pixel
UXGA 1600 x 1200 compressed
PAL, SECAM, NTSC, HDTV 720p, 1080i, EDTV 480p, 576p
Media player formats: .JPEG, .png, .bmp MPEG4 (.mp4)

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Wide screen width or rooms with plenty of light (over 200 lumens).

285W UHB Lamp
Articel Nr.: LKX90w 78-6969-9893-5
2000 h. 3000 h. in Eco Mode

-

Manual


Manual 1,2

F=1,7-2,1 f=24,3-29,2 mm

1,5-1,8:1

4 x 4W

1 x DVI M1DA
2 x D-sub 15 in 1 x out
YUV in
S-Video in
Cinch Video in
Cinch Stereo in



Mini Jack in und out
RJ45
SD memory Card Reader



Ceiling Mounting
Power
Size WxHxD
Operating Noise

Yes
460W
420 x 139 x 319 mm (16,5"x5,5"x12,6") 18,62 L/dm³
39 / 33 dB in Eco Mode

Weight
Keystone
Illumination

7,10 kg / 15,65 lbs.
Vert.: +/-40°
Hori.: +/-20°

Frequenz

H-sync: 31,5-106 kHz
V-sync: 56-120 Hz

Foot-Lamberts

120 fL / max. 551 cm screen width
411 cd/m²


Features

- Direkt Power Off
- Lens shift Funktion manuell
- Integrated Mediaplayer
- Freeze
- Blank (Black screen button)
- Blackboard Modus
- User logo
- Eco Mode
- Kensington Slot
- Gamma correction
- Dynamic iris
- Password protection
- Remote control with laser pointer
- Control via web browser
- Wi-Fi network compatible.
- Lan network compatible.
- Overscan adjustable
- De-interlacer with 3:2 pull down..

Optional

Bulb only	NLMP16633
Lamp ruby	Ruby-LMP16633
Lamp incl. air filter original	78-6969-9893-5
Compatible lamp	LMP-K16633
Universal Remote original	Fernb-uni-V3
Air filter original	MU03642
Ceiling Mount 100-120	Halterung100

Order here: <https://www.hcinema.de/lampen/shop-en.php?id=n16633>



Optional Lenses

Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
UL-604	3.9-7.4:1	7.9-15 m	41%	+/-10%	Manual
SL-602	1.2-2:1	2.4-4.1 m	41%	+/-10%	Manual
LL-603	2-3.9:1	4.1-7.9 m	41%	+/-10%	Manual
Fix Optional Lenses					
FL-601	0.8:1	1.6 m	0.0% Fix		No Zoom

Status 2006 Discontinued (EOL) // Last update of the data: 2023-08-04

Data





HCinema

<https://www.projector-database.com/pro/3mX90w-en.html>

More Details

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.