


Sony VPL FHZ60 /L

SONY VPL FHZ60 /L



Manufacturer Sony offers the VPL FHZ60 /L, a stationary LCD laser projector with WUXGA 1920 x 1200 resolution and a contrast ratio of 10000:1. Thanks to the laser, the service life is 20,000 hours, which equates to over 13.7 years at 4 hours per day. It includes a lens shift and keystone correction function, which provides flexibility during installation. An image width of up to 718 cm is possible; if the image width is smaller (we recommend max. 479 cm), even rooms with residual light are no problem. If the image is still too small, the projector offers integrated edge blending software, which allows multiple projectors to project a large image together. The model is also Full HD 1080P compatible and can therefore project Blu-rays onto the ceiling thanks to its 360° projection. At just 28 decibels, the device is one of the quieter projectors. This model is no longer available from Sony.



3 x 0,76" LCD TFT Panel
WUXGA 16/9 Liquid Crystal Display

Brief Introduction Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

5000 / 3500 im Eco Mode

10000:1 full on/off

0,5000 min. Lumen

Vert.: +60% -5% Hori.: +/-32%

WUXGA 1920 x 1200

2.304.000 Pixel

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Wide screen width or rooms with plenty of light (over 200 lumens).

Laser

Article Nr.: / L optional

20000 h.

0,00 € Laser

Powered

Powered 1,6

-

1,39-2,23:1


-

HDMI in
DVI-D mit HDCP in
D-sub 15pin in und out
BNC Video in

2222 Lux (bei 200 cm Screen)

10000:1 full on/off

0,222 min. Lumen




Mini Jack Audio in und out
RS232C Din 9 pin in
RJ45 mit HDBaseT in
5V Trigger out
Ceiling Mounting Yes, is possible.
Power 408W
Size WxHxD 460 x 169 x 515 mm (18,1"x6,7"x20,3") 40,04 L/dm³
Operating Noise 28dB

Weight 16,00 kg / 35,27 lbs.
Keystone Vert.: +/-30°
Hori.: +/-30°
Illumination -

Frequenz H-sync: 15-92 kHz
V-sync: 48-92 Hz
Foot-Lamberts 206 fL / max. 718 cm screen width
706 cd/m²

- Full HD 1080P compatible
- Lens shift Funktion
- Eco Mode
- 360° installable
- Edge Blending
- Lan network compatible.

Screen Mirroring -



Optional accessories

	Deckenhalterung Original	PAM-310	EOL €
	Objektiv Original	VPLL-Z3024	1.834,37 €
	Objektiv Original	VPLL-Z3009	2.141,88 €
	Objektiv Original	VPLL-3007	2.508,09 €
	Objektiv Original	VPLL-Z3032	1.851,15 €
	Fernbedienung Original	149289111 / RM-PJ27 / 148909211 / RM-PJ19	56,23 €
	Luftfilter Kompatibel Original	Alternative zu:PK-F60FB1	71,70 €
	Deckenhalterung 220	Halterung45	83,60 €

Optional Lenses

Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
Z3032	3.18-4.84:1	6.4-9.7 m	60-5%	+/-32%	Powered
Z3024	2.34-3.19:1	4.7-6.4 m	60-5%	+/-32%	Powered
Z3009	0.85-1:1	1.7-2 m	60-5%	+/-32%	Powered
Fix Optional Lenses					
VPLL-3007	0.65:1	1.3 m	0.00% Fix		No Zoom

Status 2015 Discontinued (EOL) // Last update of the data: 2024-10-02
Created: 2015-07-08 12:09:25

Data





HCinema

<https://www.projector-database.com/pro/SonyVPLFHZ60-en.html>

More Details

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.