Aopen AV10





Brief Introduction Beta 2.5

With the AV10, manufacturer Aopen offers a DLP LED projector with WVGA 854 x 480 resolution and a contrast of 10000:1. Thanks to the LEDs, the projector has a light life of up to 20000 hours, which equates to over 13.7 years with a daily viewing time of 4 hours. A picture width of up to 124 cm is possible. However, the picture should be smaller in room light. We recommend max. 83 cm. Thanks to the built-in 4000 mAh battery, no power supply is required, allowing the projector to be set up quickly and flexibly. Even 1080P playback is no problem for the projector. This model is no longer offered by Aopen.

Display Type

1 x DLP Chip WVGA 16/9 Ti Digital Light Processing Chip

Ansi-Lumen Contrast

150 10000:1

Black Level Offset

φ65 Lux (bei 203 cm Screen)
6 10000:1
9 0.007 min. Lumen 0,0150 min. Lumen

Resolution

Application

Light Life

WVGA 854 x 480 409.920 Pixel

HDTV 1920 x 1080 compressed Video Modes

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, EDTV 480p, 576p

Game-Portabel | Very portable, small-screen projections. Very narrow picture width and rooms with very little light.

Light Source **LED**

20000 h. / 30000 h. in Eco Mode

Operating Costs 0,00 € LED

Focus Manual

Zoom

Objective

Throw Ratio


Audio 2 x 5W

Connections Input

> 1 x HDMI (Video, Audio) 1 x SD (Micro, SDHC) 1 x USB (Type A) 1 x USB (Type C)

Output

1 x Kopfhörerausgang (Stereo-Mini-Buchse)





Ceiling Mounting

Power

Size WxHxD Operating Noise Yes

86 x 136 x 86 mm (3,4"x5,4"x3,4") 1,01 L/dm3

-

Weight 0,678 kg / 0 lbs.

Keystone Vert.: +/-15° automatisch

Illumination -

Frequenz -

Foot-Lamberts 6 fL / max. 124 cm screen width

21 cd/m²

■ Full HD 1080P compatible

■ Eco Mode

■ Automatic and manual vertical keystone correction

■ Wi-Fi network compatible.

■4000 mAh

Status 2020 Discontinued (EOL) // Last update of the data: 2024-10-02

Data

Features









More Details



Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.