Apollo MS 800





Brief Introduction Beta 2.5

With the MS 800, manufacturer Apollo offers a standard portable DLP projector with SVGA 800 x 600 resolution and a contrast of 200:1 Ansi. Thanks to the brightness of 1000 Ansi lumens, a picture width of 275 cm is possible. In room light, the picture should be max. 183 cm wide. It is no longer offered by the manufacturer Apollo.

ດີ 200:1 Ansi [©] 1.645 min. Lumen

Display Type

DLP Chip SVGA 4/3 Ti Digital Light Processing Chip 1000 ω324 Lux (bei 203 cm Screen)

Ansi-Lumen Contrast Black Level Offset

200:1 Ansi 5,0000 min. Lumen

SVGA 800 x 600 Resolution 480.000 Pixel

XGA 1024 x 768 compressed

Video Modes NTSC, PAL, SECAM

Standard-Portabel | External training and company presentations, as well as product

Application presentations.

Small screen width, rooms with very little ambient light below 100 lumens.

Light Source Light Life

120W UHP Lamp 2000 h.

Operating Costs

Focus Manual

Zoom Manual 1,08

Objective F=2,8-3,1 f=38-41 mm

Throw Ratio

Audio 3W Mono

> D-sub 15pin in Mini Jack Cinch Video in S-Video in

Ceiling Mounting

Connections

180W

Yes Power

Size WxHxD 218 x 88 x 252 mm (8,6"x3,5"x9,9") 4,83 L/dm3

Operating Noise

Weight Keystone Illumination

H-sync: 15-69 kHz Frequenz V-sync: 50-85 Hz


Foot-Lamberts 30 fL / max. 275 cm screen width

103 cd/m²

Features

- Discontinued (EOL) // Last update of the data: 2023-08-04

Status Data



More Details



Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.