

Barco F70-W6

BARCO F70-W6



Brief Introduction

Beta 2.5

Display Type

Ansi-Lumen
Contrast
Black Level
Offset

Resolution
Video Modes

3D Compatibility

Application

Light Source
Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

A brief introduction to the F70-W6: The Barco 3D laser DLP projector offers 8000 Ansi lumens, a contrast of 1800:1 and a WUXGA 1920 x 1200 resolution. The manufacturer Barco specifies a service life of 60,000 hours, which converts to over 41.1 years at 4 hours per day. 909 cm image width, the projector will be able to illuminate well. Rooms with residual light can be created by the projector with a smaller image width, max. 606 cm is recommended here. The model is also Full HD 1080P and 3D compatible, meaning it can even project Blu-rays onto the ceiling thanks to 360° projection.



1 x DLP Chip
WUXGA 16/9 Ti Digital Light Processing Chip

Projector

8000
1800:1 full on/off
4,4444 min. Lumen

Screen

3556 Lux (200 cm Screen width)
1800:1 full on/off
1,978 min. Lumen

WUXGA 1920 x 1200
2.304.000 Pixel

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, 3D, EDTV 480p, 576p
Frame-Packing (Full HD 3D) | Side-by-Side | Top-and-Bottom
Frame Sequential (3D Ready)

Stationary | Permanent installation in the training room and meeting room as well as the conference room.
Very large screen width and rooms with plenty of light and shaded daylight.

Laser
60000 h.

0,00 € Laser

Powered


Powered

optional

optional

Nein

HDS DI
2x DP1.2
2x Dual-Link DVI-I
HDBaseT* (erweiterbar)
HDMI1.4* (2.0 erweiterbar)
RJ 45 Ethernet



DMX in/out* (erweiterbar)

RS232 in

2x USB

12 V Ausgang

Ceiling Mounting

Power

Size WxHxD

Operating Noise

Yes, is possible.

1100W

475 x 286 x 593 mm (18,7"x11,3"x23,3") 80,56 L/dm³

36dB

Weight

Keystone

Illumination

37,00 kg / 81,57 lbs.

-

-

Frequenz

-

Foot-Lamberts

330 fL / max. 909 cm screen width

1131 cd/m²

- Features
- Real Full HD 3D

■ Full HD 1080P compatible

■ Blank (Black screen button)

■ Warping

■ 360° installable

■ 24/7 continuous operation capable

■ Lan network compatible.

Screen Mirroring

-



Optional accessories

	Objektiv Original	R9801249 / EN16	EOL €
	Objektiv Original	R9801228 / EN13	EOL €
	Objektiv Original	R9801225 / EN15	EOL €
	Objektiv Original	R9801218 / EN12	EOL €
	Objektiv Original	R9801214 / EN11	EOL €
	Objektiv Original	R9801209 / EN14	EOL €
	Fernbedienung Original	R9803002	185,58 €
	Deckenhalterung	HeavyDuty	470,94 €

Optional Lenses

Name	Ratio	Distance	Shift V	Shift H	Zoom
R9862040	4.5-7.5:1	900-1500 m	15-60%	+/-20%	Powered
R9862030	2.8-4.5:1	560-900 m	15-60%	+/-20%	Powered
R9862020	2-2.8:1	400-560 m	15-60%	+/-20%	Powered
R9862010	1.5-2:1	300-400 m	15-60%	+/-20%	Powered
R9829997	7.5-11.2:1	1500-2240 m	15-60%	+/-20%	Powered
R9801661	0.38-10:1	76-2000 m	+/-5%	50-65%	Powered
R9862005	1.25-1.6:1	250-320 m	15-60%	+/-20%	Powered
R9801414	0.8-1.16:1	160-232 m	15-50%	+/-20%	Powered

Status

2017 Current model // Last update of the data: 2026-01-26

Created: 2017-10-22 17:18:57





HCinema

<https://www.projector-database.com/pro/barcof70w6-en.html>

More Details

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.