Benq LX9215





Brief Introduction
Beta 2.5

100000:1 and an XGA 1024 x 768 resolution. It is a laser projector with 20000 hours of light life, which converts to over 13.7 years at 4 hours per day. Includes a lens shift and keystone correction function, which provides freedom during installation. 6000 Ansi lumens ensure that a picture width of 675 cm is also possible. The projector creates rooms with residual light with a smaller image width, we recommend a maximum of 450 cm. The model is also Full HD 1080P and 3D compatible, and even has the option of projecting HD 1080P Blu-rays onto the ceiling using 360° projection. This model is no longer offered by Benq.

1 x 0,67" DLP Chip

დ2000 Lux (bei 200 cm Screen) შ 100000:1 full on/off ⁹ 0,02 min. Lumen

Display Type

XGA 4/3 Ti Digital Light Processing Chip

Ansi-Lumen P 6000
Contrast p 1000
Black Level p 0,060

୍ର 100000:1 full on/off ପ୍ର 0,0600 min. Lumen Vert.: +50% -0% Hori.: +/-10%

XGA 1024 x 768

786.432 Pixel

HDTV 1920 x 1080 compressed

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, 3D, EDTV 480p, 576p

Frame-Packing (Full HD 3D) | Side-by-Side | Top-and-Bottom

Frame Sequential (3D Ready)

Stationary | Permanent installation in the training room and meeting room as well as the

conference room.

Very large screen width and rooms with plenty of light and shaded daylight.

Light Source Light Life

Application

Lens shift

Resolution

Video Modes

3D Compatibility

Laser 20000 h.

Operating Costs 0,00 € Laser

Focus Powered

Zoom Powered 1,31

Objective optional

Throw Ratio optional


Audio 2 x 10W

Connections HDMI 1.4a in

DVI-D in

D-Sub 15 pin in 5 x BNC RGBHV in RJ45 mit HDBaseT in

1 x 3G-SDI



USB Typ A

RS232C Din 9 pin in

Ceiling Mounting

Yes

Power 640W

Size WxHxD 470 x 216 x 525 mm (18,5"x8,5"x20,7") 53,3 L/dm3

36 / 33 dB in Eco Mode **Operating Noise**

Weight 25,00 kg / 55,12 lbs.

Vert.: +/-30° Keystone Hori.: +/-30°

Illumination

H-sync: 15-92 kHz Frequenz V-sync: 23-85 Hz

Foot-Lamberts 186 fL / max. 675 cm screen width

637 cd/m²

Real Full HD 3D

■ Full HD 1080P compatible

Lens shift Funktion

Features ■ Eco Mode

■ 360° installable

■ 24/7 continuous operation capable

Lan network compatible.

Remote control original RCA024 / 5J.JDC06.001 Object lens original 5J.JEN37.001 / LS2DS2 Object lens original 5J.JDH37.041 / LS2LT2 Object lens original 5J.JDH37.021 / LS2SD Object lens original 5J.JDH37.011 / LS2ST1

Key: 200 cm Shift: 75 cm

Key: 200 cm

Key: 200 cm Shift: 20 cm

Key: 200 cn Shift: 20 cm

Object lens original 5J.JDH37.002 / LS2ST3 Order here: https://www.hcinema.de/lampen/shop-en.php?id=fro9003164

Optional Lenses

Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
LS2ST1 / 5J.JDH37.011	1.14-3.47:1	2.3-6.9 m	50-10%	+/-5%	Powered
LS2SD2 / 5J.JEN37.001	1.6-2:1	3.2-4 m	50-10%	+/-5%	Powered
LS2LT2 / 5J.JDH37.041	3.11-5.18:1	6.2-10.4 m	50-10%	+/-5%	Powered
LS2LT1 / 5J.JDH37.032	2-3:1	4-6 m	50-10%	+/-5%	Powered
Fix Optional Lenses					
LS2ST3 / 5J.JDH37.002	0.81:1	1.6 m	50-10%	+/-5%	No Zoom

2016 Discontinued (EOL) // Last update of the data: 2024-10-02 Status

Created: 2016-11-23 14:21:08

Data

Optional







More Details





Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions