

Benq PB9200

BENQ PB9200



The Benq model PB9200 is an LCD projector with XGA 1024 x 768 resolution and a contrast of 800:1. Includes a lens shift and keystone correction function, which provides freedom during installation. 4500 Ansi lumens ensure that a picture width of 584 cm is also possible. The projector creates rooms with residual light with a smaller image width, we recommend a maximum of 389 cm. On the market since 2004, the model is no longer offered by the manufacturer Benq, but is still very popular in our projector database.



3 x 0,99" LCD TFT Panel mit MLA
XGA 4/3 Liquid Crystal Display with Micro Lense Array

Projector
Green

4500 / 3600 im Eco Mode
800:1 full on/off
5,6250 min. Lumen
1456 Lux (bei 203 cm Screen)
800:1 full on/off
1.827 min. Lumen

Brief Introduction

Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

Vert.: +50% -0% motorisch
XGA 1024 x 768

786.432 Pixel

UXGA 1600 x 1200 compressed

NTSC/PAL(-BGDHI), SECAM, PAL M, N, NTSC4.43, PAL60525i(480i), 525p(480p), 625i(575i), Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Wide screen width or rooms with plenty of light (over 200 lumens).

310W UHB Lamp

Articel Nr.: 65.J0H07.CG1

1500 h. 2000 h. in Eco Mode

-

Powered


Powered 1,48

F=1,7-2,4 f=31-46 mm

1,5-2,3:1

2 x 1W Stereo

M1-DA (DVI) in
D-sub 15p in und out
5 x BNC RGBHV in
Cinch Stereo in
Cinch Video in
S-Video in
Mini Jack in
RS232C
RJ45





Ceiling Mounting
Power
Size WxHxD
Operating Noise

Yes
470W
420 x 150 x 320 mm (16,5"x5,9"x12,6") 20,16 L/dm³
39 / 35 dB in Eco Mode

Weight
Keystone
Illumination

7,70 kg / 16,98 lbs.
Vert.: +/-15°
Hori.: +/-5°
-

Frequenz
Foot-Lamberts

H-sync: 15-91 kHz
V-sync: 50-120 Hz
135 fL / max. 584 cm screen width
463 cd/m²


Features

- Lens shift Funktion motorisch
- Freeze
- Blank (Black screen button)
- User logo
- Eco Mode
- Kensington Slot
- Gamma correction
- Picture-in-Picture
- Remote control with laser pointer und mouse control
- Control via web browser
- Lan network compatible.
- Overscan adjustable
- digital zoom
- pin code security system
- deinterlacer

Optional

Lamp ruby	Ruby-LMP613
Lamp incl. air filter original	65.J0H07.CG1
Compatible lamp	LMP-K601
Universal Remote original	Fernb-uni-V3
Remote control original	HL02003
Air filter original	NJ08081
Ceiling Mount 100-120	Halterung100

Order here: <https://www.hcinema.de/lampen/shop-en.php?id=d601>



Optional Lenses

Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
Benq LL503	2.25-4.13:1	4.6-8.4 m	50%		Powered
Benq FL501	0.79-0.79:1	1.6-1.6 m	0.0% Fix		Powered
Benq LL504	3.96-7.26:1	8-14.7 m	50%		Powered
Benq Objektiv 1	1.12-1.51:1	2.3-3.1 m	50%		Powered

Status 2004 Discontinued (EOL) // Last update of the data: 2023-08-04

Data



More Details



Hcinema

<https://www.projector-database.com/pro/benqpb9200-en.html>

