Boxlight CP 15t

Brief Introduction Beta 2.5	A brief introduction to the Boxlight CP 15t. The LCD projector has an XGA 1024 x 768 resolution and a contrast of 250:1. The integrated media player can play files directly. The projector can illuminate a picture width of 246 cm well. However, if room light is available, the picture width should ideally not exceed 164 cm. This model is no longer offered by Boxlight.
Display Type	3 x 0,9" LCD TFT Panel mit MLA XGA 4/3 Liquid Crystal Display with Micro Lense Array

	Projector	Screen
Ansi-Lumen	800	259 Lux (bei 203 cm Screen)
Contrast	250:1 full on/off	250:1 full on/off
Black Level	3,2000 min. Lumen	1.049 min. Lumen
Offset	-	

Resolution	XGA 1024 x 768 786.432 Pixel
Video Modes	NTSC, NTSC 4.43, PAL, PAL-M, PAL-N, SECAM **Media player formats:** BMP JPEG
Application	Standard-Portabel | External training and company presentations, as well as product presentations. Small screen width, rooms with very little ambient light below 100 lumens.
Light Source	120W UHP Lamp Articel Nr.: CP15T-930
Light Life	2000 h.
Operating Costs	-
Focus	Powered
Zoom	Powered
Objective	-
Throw Ratio	-
Audio	1 x 1W
Connections	Cinch Video in S-Video in D-sub 15pin in
Ceiling Mounting	Yes
Power	200W
Size WxHxD	-
Operating Noise	40dB
Weight	-
Keystone	-
Illumination	-
Frequenz	-
Foot-Lamberts	24 fL / max. 246 cm screen width 82 cd/m²
Features	■ Integrated Mediaplayer ■ Freeze ■ Remote control with laser pointer und mouse control ■

Lux:**259** Lux
Room light max.:**52** Lux
Candela pro m²:**82** cd/m²
Foot-Lamberts:**24** fL

4/3 screen width:203 cm
Screen:1 Gain

Optional		
	Osram bulb only	NLMP669
	Lamp ruby	Ruby-LMP669
	Lamp original	CP15T-930
	Compatible lamp	LMP-K668
Status	Order here: https://www.hcinema.de/lampen/shop-en.php?id=n669 - Discontinued (EOL) // Last update of the data: 2023-08-04	

Data

More Details

https://www.projector-database.com/pro/boxlightcp15t-en.html