Boxlight MP 20t





Brief Introduction

Beta 2.5

A brief introduction to the Boxlight MP 20t. The standard portable LCD projector has an SVGA 800 x 600 resolution and a contrast of 300:1. The projector will be able to illuminate an image width of 308 cm well. However, if room light is available, the image width should ideally not exceed 205 cm. This model is no longer offered by Boxlight.

3 x 1,3 LCD TFT Panel

SVGA 4/3 Liquid Crystal Display

Ansi-Lumen Contrast

Black Level

Resolution

Light Source

Display Type

300:1 full on/off 4.1667 min. Lumen

1250

2 300:1 full on/off 1.361 min. Lumen

Offset

SVGA 800 x 600 480.000 Pixel

XGA 1024 x 768 compressed

PAL, NTSC, Secam Video Modes

Standard-Portabel | External training and company presentations, as well as product

Application

Small screen width, rooms with very little ambient light below 100 lumens.

160W Metalldampf Lamp Articel Nr.: MP30T-930

Light Life 1500 h.

Operating Costs

Focus Powered

Powered Zoom

Objective

Throw Ratio

Audio 2 x 3W

Cinch Video in

S-Video in D-sub 15pin in

Ceiling Mounting

Connections

250W Power Size WxHxD **Operating Noise** 45dB

Weight Keystone Illumination

H-sync: 15,0-100,0 kHz Frequenz V-sync: 50-100 Hz

Foot-Lamberts 38 fL / max. 308 cm screen width

130 cd/m²

Features


Bulb only NLMP16357

Optional MP20T-930 Lamp original

> Order here: https://www.hcinema.de/lampen/shop-en.php?id=n16357 1999 Discontinued (EOL) // Last update of the data: 2023-08-04

Data

Status



More Details



Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.