

Boxlight XD 16n

BOXLIGHT XD 16N



Brief Introduction

Beta 2.5

A brief introduction to the Boxlight XD 16n. The DLP projector has an XGA 1024 x 768 resolution and a contrast of 1200:1. The brightness of 1400 Ansi lumens enables a picture width of 326 cm. In room light, the picture should be max. 217 cm wide. The model was built by Boxlight in 2003 and is no longer current. It should also be noted that, unfortunately, there are no more replacement lamps for the projector, neither originals nor replicas.

Display Type



1 x 0,7" 12° DDR DLP Chip
XGA 4/3 Ti Digital Light Processing Chip

Ansi-Lumen

Projector 1400 Screen 453 Lux (bei 203 cm Screen)

Contrast

1200:1 full on/off 1200:1 full on/off

Black Level

Offset 1,1667 min. Lumen 0.378 min. Lumen

Resolution

XGA 1024 x 768

Video Modes

786.432 Pixel

Application

SXGA 1280 x 1024 compressed

NTSC, NTSC 4.43, PAL, PAL-M, PAL-N, SECAM HDTV 1080i, 720p, 480p

Standard-Portabel | External training and company presentations, as well as product presentations.

Small screen width, rooms with very little ambient light below 100 lumens.

Light Source

150W NSH Lamp

Light Life

Articel Nr.: XD-16n

2000 h.

Operating Costs

-

Focus

Manual

Zoom

Manual 1,28

Objective

F=1,73-2,17 f=25-32 mm

Throw Ratio

1,72-2,24:1

Audio

No

Connections

D-sub 15pin in

Maus Port

USB

S-Video

Cinch Video

Ceiling Mounting

Yes

Power


250W

Size WxHxD

248,9 x 58,4 x 170,2 mm (9,8"x2,3"x6,7") 2,45 L/dm³

Operating Noise

36dB



Key: 94 cm



Weight 1,72 kg / 3,79 lbs.
Keystone Vert.: +/-15°
Illumination -

Frequenz H-sync: 31,5-80 kHz
V-sync: 43-100 Hz

Foot-Lamberts 42 fL / max. 326 cm screen width
144 cd/m²

- Features
- Freeze
 - Kensington Slot
 - Picture-in-Picture
 - Remote control with laser pointer
 - Digital Zoom
 - Faroudja DCDi De-interlacer

Status 2003 Discontinued (EOL) // Last update of the data: 2023-08-04



More Details



HCinema

<https://www.projector-database.com/pro/boxlightxd16n-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.