

Canon LX-MU600Z

CANON LX-MU600Z



The stationary Canon LX-MU600Z laser DLP projector has 6800 Ansi lumens, a contrast of 10500:1 and a WUXGA 1920 x 1200 resolution. It is a laser projector with 20000 hours of light life, which is the equivalent of over 13.7 years at 4 hours per day. The integrated lens shift gives freedom when positioning the projector. An image width of up to 838 cm is possible as the projector has 6800 Ansi lumens. The projector can create rooms with residual light with a smaller image width, we recommend a maximum of 559 cm. Even 1080P video signals are no problem for the projector. Even projection onto the ceiling is possible thanks to the 360° projection. It was launched in 2016 and is no longer offered by the manufacturer Canon.



1 x 0,67" DLP Chip
WUXGA 16/9 Ti Digital Light Processing Chip

Projector	6800	Screen	3022 Lux (bei 200 cm Screen)
Contrast	10500:1 full on/off	Screen	10500:1 full on/off
Black Level	0,6476 min. Lumen	Screen	0,288 min. Lumen

Vert.: +50% -0% Hori.: +/-10%

Resolution WUXGA 1920 x 1200

2.304.000 Pixel

Video Modes Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Application Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Very large screen width and rooms with plenty of light and shaded daylight.

Light Source Laser

Articel Nr.: 0954C001 / LX-RC01

Light Life 20000 h.

Operating Costs 0,00 € Laser

Focus Powered


Zoom Powered 1,31

Objective F=1,64-1,86 f=26-34 mm

Throw Ratio 1,75-2,29:1

Audio -

Connections HDMI in
DVI-D
D-Sub 15 pin in und out
5 x BNC RGBHV in
RJ45 mit HDBaseT in
3G-SDI



Brief Introduction
Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

Ceiling Mounting
Power
Size WxHxD
Operating Noise

12V Trigger out
Yes
8'45W
500 x 216 x 594 mm (19,7"x8,5"x23,4") 64,15 L/dm³
40 / 37 dB in Eco Mode

Weight
Keystone
Illumination

28,00 kg / 61,73 lbs.
Vert.: +/-60°
Hori.: +/-40°
90%

Frequenz

-

Foot-Lamberts


281 fL / max. 838 cm screen width
963 cd/m²

Features

- Full HD 1080P compatible
- Lens shift Funktion
- Eco Mode
- Kensington Slot
- 360° installable
- PJLink™
- Lan network compatible.
- Crestron®-Software compatible.
- Four-segment colour wheel.

Optional

Remote control original 0954C001 / LX-RC01
Object lens original 0951C001 / LX-IL01UW
Air filter original 0950C001 / LX-FL01
Object lens original 0949C001 / LX-IL04MZ
Object lens original 0948C001AB / LX-IL03ST
Object lens original 0948C001AA / LX-IL03ST
Object lens original 0946C001 / LX-IL07WF
Object lens original 0945C001 / LX-IL06UL
Object lens original 0944C001 / LX-IL05LZ
Order here: <https://www.hcinema.de/lampen/shop-en.php?id=fro9000990>



Optional Lenses					
Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
LX-IL06UL	5.31-8.26:1	10.6-16.5 m	50%	+/-10%	Powered
LX-IL05LZ	3.58-5.38:1	7.2-10.8 m	50%	+/-10%	Powered
LX-IL04MZ	2.22-3.67:1	4.4-7.3 m	50%	+/-10%	Powered
LX-IL03ST	1.73-2.27:1	3.5-4.5 m	50%	+/-10%	Powered
LX-IL02WZ	1.25-1.79:1	2.5-3.6 m	50%	+/-10%	Powered
LX-IL01UW	0.75-0.93:1	1.5-1.9 m	50%	+/-10%	Powered
Fix Optional Lenses					
X-IL07WF	0.76:1	1.5 m	0.00% Fix		No Zoom

Status

2016 Discontinued (EOL) // Last update of the data: 2024-10-02
Created: 2016-03-18 11:14:13

Data



More Details



Hcinema

<https://www.projector-database.com/pro/canonlxmu600z-en.html>

