Casio XJ-S400U



Brief Introduction Beta 2.5

20000:1 and a WUXGA 1920 x 1200 resolution. The service life is 20000 hours due to the laser, which would be the equivalent of over 13.7 years at 4 hours per day. Thanks to the brightness of 4000 Ansi lumens, an image width of 643 cm is possible. The projector can also handle slightly brighter rooms with a narrower picture width (we recommend a maximum of 429 cm). Even 1080P video signals are no problem for the projector. This model is no longer offered by Casio.

Display Type

Ansi-Lumen

Application

Contrast Black Level

1 x 0,67" DLP Chip WUXGA 16/9 Ti Digital Light Processing Chip

4000

20000:1 full on/off 0,2000 min. Lumen φ1778 Lux (bei 200 cm Screen)
20000:1 full on/off
0,089 min. Lumen

Offset

WUXGA 1920 x 1200

Resolution 2.304.000 Pixel Video Modes

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, EDTV 480p, 576p

Standard-Portabel | External training and company presentations, as well as product

presentations.

Wide screen width or rooms with plenty of light (over 200 lumens). Laser und LED

Light Source

Articel Nr.: YT-161

20000 h. Light Life

0.00 € LED **Operating Costs**

Focus Manual

Manual 1,66 Zoom

Objective F=2,33-3,03 f=19,5-32,3 mm

Throw Ratio 1,31-2,18:1

Audio 1 x 16W Mono

> 2 x HDMI in 1 x D-sub 15pin


YUV in

Connections Cinch Video in

Mini Jack Audio in und out

Ceiling Mounting Power

USB Typ A;B in RS232C Din 9 pin in Yes



Size WxHxD 357 x 124 x 337 mm (14,1"x4,9"x13,3") 14,92 L/dm³
Operating Noise -

Weight

Keystone Vert.: +/-30° automatisch

Illumination -

Frequenz H-sync: 15-91 kHz V-sync: 50-85 Hz

Foot-Lamberts 165 fL / max. 643 cm screen width

565 cd/m²

■ Full HD 1080P compatible

Features Automatic and manual vertical keystone correction

DICOM SIMULATION

Remote control original YT-161

Order here: https://www.hcinema.de/lampen/shop-en.php?id=fro9002427

2019 Discontinued (EOL) // Last update of the data: 2024-10-02

Created: 2019-01-24 11:37:33

More Details

Optional

Status

Data





Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.

