

Christie MIRAGE HD10K-M

CHRISTIE MIRAGE HD10K-M



The Christie MIRAGE HD10K-M 3D DLP projector has 10500 Ansi-Lumen, a contrast of 10000:1 and a HDTV 1920 x 1080 resolution. Including a lens shift function, which provides freedom during installation. The projector will be able to illuminate a picture width of 1041 cm. Rooms with residual light can be created by the projector with a smaller image width, we recommend a maximum of 694 cm. If the image is still too small, the integrated edge blending software can help to project a larger image with additional projectors. The model is also Full HD 1080P and 3D compatible. On the market since 2010, the model is no longer offered by the manufacturer Christie.



3 x 0,95" DLP Chip
HDTV 16/9 Ti Digital Light Processing Chip

Brief Introduction

Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

3D Compatibility

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

Ceiling Mounting

Power

Projector 10500

10000:1 full on/off

1,0500 min. Lumen

Vert.: +/-60% Hori.: +/-21% motorisch

HDTV 1920 x 1080

2.073.600 Pixel

QXGA 2048 x 1536 compressed

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, 3D, EDTV 480p, 576p

Frame-Packing (Full HD 3D) | Side-by-Side | Frame Sequential (3D Ready)

Event | Very large screen width and rooms with plenty of light and shaded daylight.

2 x 350W P-VIP Lamp

Article Nr.: 003-100857-02 /

003-100857-01

1500 h. 2000 h. in Eco Mode

20,33% / 1,25 €

Powered

Powered

optional

optional

Nein

5 x BNC RGBHV in

DVI-I in

RS232C RS422C

weitere Anschlüsse Optional


Yes, is possible.

1320W


Screen 4667 Lux (bei 200 cm Screen)

10000:1 full on/off

0,467 min. Lumen



Size WxHxD	500 x 259 x 561 mm (19,7"x10,2"x22,1") 72,65 L/dm³
Operating Noise	-
Weight	25,00 kg / 55,12 lbs.
Keystone	-
Illumination	90%
Frequenz	H-sync: 15-120 kHz V-sync: 23,97-150 Hz Range max.: 165 MHz
Foot-Lamberts	434 fL / max. 1041 cm screen width 1487 cd/m²
Features	Real Full HD 3D Full HD 1080P compatible Lens shift Funktion motorisch Freeze Eco Mode Kensington Slot Gamma correction Dynamic iris Digital image shift Warping 24/7 continuous operation capable Edge Blending Picture-in-Picture Password protection Remote control with laser pointer Lan network compatible. Crestron®-Software compatible.
Screen Mirroring	-



Optional accessories			
	Nackte Osram Lampe	NLMP18711	208,12 €
	Lampe Ruby	Ruby-LMP18711	184,01 €
	Lampe Original	003-100857-03 / 003-100857-02 / 003-100857-01	934,16 €
	Kompatible Lampe	LMP-K18708	74,53 €
	Rauch-Luftfilter Original	118-100105-01	166,54 €
	ASSY Rauchfilter Kit Original	118-100104-01	434,05 €
	Deckenhalterung 220	Halterung45	83,60 €

Optional Lenses					
Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
6.9-10.4:1	6.9-10.4:1	13.8-20.8 m	+/-60%	+/-21%	Powered
4.1-6.9:1	4.1-6.9:1	8.2-13.8 m	+/-60%	+/-21%	Powered
2.6-4.1:1	2.6-4.1:1	5.2-8.2 m	+/-60%	+/-21%	Powered
1.8-2.6:1	1.8-2.6:1	3.6-5.2 m	+/-60%	+/-21%	Powered
1.4-1.8:1	1.4-1.8:1	2.8-3.6 m	+/-60%	+/-21%	Powered
1.16-1:1.49:1	1.16-1.49:1	2.3-3 m	+/-60%	+/-21%	Powered
Fix Optional Lenses					
1.1:1	1.1:1	2.2 m	+/-60%	+/-21%	No Zoom
0.67:1	0.67:1	1.3 m	+/-25%	+/-10%	No Zoom

Status Data 2010 Discontinued (EOL) // Last update of the data: 2025-03-03



More Details



HCinema

<https://www.projector-database.com/pro/christiemiragehd10km-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.