









Brief Introduction

Beta 2.5

Display Type

Ansi-Lumen Contrast **Black Level**

Offset

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Zoom

Focus

Objective

Throw Ratio

Audio

Connections

Ceiling Mounting

Power Size WxHxD Operating Noise

Weight

Keystone

Frequenz

Features

Illumination

to its 2500 Ansi lumens. In room light, however, the image width should ideally be less than 290 cm. On the market since 2006, the model is no longer offered by the manufacturer Delta.

2500 / 2200 im Eco Mode

1800:1 full on/off 1,3889 min. Lumen

1 x 0,7" DDR DDP 2000 DLP Chip XGA 4/3 Ti Digital Light Processing Chip

ω833 Lux (bei 200 cm Screen) 0,464 min. Lumen

1024 x 768 resolution. The projector can illuminate an image width of up to 435 cm well thanks

XGA 1024 x 768

786.432 Pixel

SXGA+ 1400 x 1050 compressed

PAL, SECAM, NTSC, HDTV 720p, 1080i, EDTV 480p, 576p

Standard-Portabel | External training and company presentations, as well as product

presentations.

Medium screen width or rooms with little light, max. 100 lumens.

230W Lamp 3000 h. 4000 h. in Eco Mode

Manual 1,16

Manual

1,94-2,27:1

1W Mono

DVI-I in S-Video in Cinch Video in

USB in Mini jack in

Yes

255 / 230W in Eco Mode

260 x 69 x 205 mm (10,2"x2,7"x8,1") 3,68 L/dm3

35 / 33 dB in Eco Mode

1,90 kg / 4,19 lbs. Vert.: +/-15°


80%


V-sync: 5085 Hz

Foot-Lamberts 77 fL / max. 435 cm screen width

264 cd/m² ■ Eco Mode

H-sync: 15-90 kHz





Status Data 2006 Discontinued (EOL) // Last update of the data: 2023-08-04

More Details



Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.