Delta DP 6610







Brief Introduction Beta 2.5

Display Type

Ansi-Lumen Contrast

Black Level Offset

Resolution

Video Modes

Application

Light Source Light Life

Operating Costs

Focus

Zoom

Audio

Objective

Throw Ratio

Connections

Ceiling Mounting

Power

Size WxHxD

Operating Noise

Weight

Status

Keystone

Illumination

1,45 kg / 3,2 lbs. Vert.: +/-15°

80%

H-sync: 15-91,4 kHz Frequenz V-sync: 43-87 Hz

Foot-Lamberts 78 fL / max. 443 cm screen width

> 267 cd/m² ■ Eco Mode

Features

The DP 6610 DLP has 1900 Ansi lumens, a contrast of 1800:1 and an HDTV 1280 x 720 resolution. 1900 Ansi lumens ensure that a picture width of 443 cm is also possible. However, if room light is available, the picture should be max. 295 cm wide. The model was built by Delta in 2007 and is no longer current.

1 x 0,62" LVDS DDP2230 DLP Chip HDTV 16/9 Ti Digital Light Processing Chip

1900 / 1500 im Eco Mode

1800:1 full on/off

1,0556 min. Lumen

ω844 Lux (bei 200 cm Screen)

300 - 360 cm

Lux:844 Lux

77 cm

16/9 screen width:200 cm

Screen:1 Gain

Room light max.:169 Lux

Foot-Lamberts:78 fL

Candela pro m²:267 cd/m²

1800:1 full on/off 0,469 min. Lumen

HDTV 1280 x 720 921.600 Pixel

UXGA 1600 x 1200 compressed

PAL, SECAM, NTSC, HDTV 720p, 1080i, EDTV 480p, 576p

Micro-Portabel | Small mobile presentations...

Small screen width, rooms with very little ambient light below 100 lumens.

200 / 160W im Eco Mode Lamp

Manual

Manual 1,15

1,5-1,8:1

1W Mono


HDMI in D-sub 15pin in S-Video in


Cinch Video in USB Typ B

Yes 250 / 210W in Eco Mode

220 x 71 x 178 mm (8,7"x2,8"x7") 2,78 L/dm3

40 / 37 dB in Eco Mode





2007 Discontinued (EOL) // Last update of the data: 2023-08-04

Data

More Details



Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.