

Digital Projection E-VISION LASER 13000 WU



A brief introduction to the E-VISION LASER 13000 WU: The Digital Projection 3D laser DLP projector offers 12000 Ansi lumens, a contrast of 10000:1 and a WUXGA 1920 x 1200 resolution. The manufacturer Digital Projection states a service life of 20000 hours, which is over 13.7 years if enjoyed for four hours a day. The built-in lens shift function provides freedom when adjusting the projection. 12000 Ansi lumens ensure that a picture width of 1113 cm is also possible. The projector manages rooms with residual light with a smaller image width, we recommend a maximum of 742 cm. If the image is still too small, the integrated edge blending software can help to project a larger image with additional projectors. Playing 1080P and 3D is also no problem for the projector.



1 x 0,67" DLP Chip

WUXGA 16/9 Ti Digital Light Processing Chip

Brief Introduction Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

3D Compatibility

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Projector 12000

10000:1 full on/off

1,2000 min. Lumen

Vert.: +50% -30% Hori.: +10% -20%

WUXGA 1920 x 1200

2.304.000 Pixel

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, 3D, EDTV 480p, 576p

Frame-Packing (Full HD 3D) | Side-by-Side | Top-and-Bottom

Frame Sequential (3D Ready)

Event | Very large screen width and rooms with plenty of light and shaded daylight.

Laser

20000 h.

0,00 € Laser

Powered

Powered


optional

optional


Screen 5333 Lux (200 cm Screen width)

10000:1 full on/off

0,533 min. Lumen



Audio	Nein
Connections	HDMI 2.0 in HDMI 1.4 in 3G-SDI in und out HDBaseT in DisplayPort 1.2 in 3D Sync in und out über BNC RJ45 in 12V Trigger out Wired Remote RS232c
Ceiling Mounting	Yes, is possible.
Power	1470W / 1220W in Eco Mode
Size WxHxD	598 x 219 x 500 mm (23,5"x8,6"x19,7") 65,48 L/dm³
Operating Noise	40dB



Weight	31,00 kg / 68,34 lbs.
Keystone	-
Illumination	-
Frequenz	-
Foot-Lamberts	495 fL / max. 1113 cm screen width 1696 cd/m² ■ Real Full HD 3D ■ Full HD 1080P compatible ■ Lens shift Funktion ■ Eco Mode ■ High Dynamic Range (HDR) ■ 24/7 continuous operation capable
Features	■ Edge Blending ■ Picture-in-Picture ■ PJLink™ ■ Lan network compatible. ■ Crestron®-Software compatible. ■ DICOM simulation ■ amx
Screen Mirroring	-

Optional accessories

	Deckenhalterung Länge 225 mm	Halterung45	88,54 €
---	------------------------------	-------------	---------

Optional Lenses

Name	Ratio	Distance	Shift V	Shift H	Zoom
112-504	5.31-8.26:1	1062-1652 m	50-30%	10-20%	Powered
112-503	3.58-5.38:1	716-1076 m	50-30%	10-20%	Powered
112-502	2.22-3.67:1	444-734 m	50-30%	10-20%	Powered
112-501	1.72-2.27:1	344-454 m	50-30%	10-20%	Powered
112-500	1.25-1.79:1	250-358 m	50-30%	10-20%	Powered
115-339	0.75-0.93:1	150-186 m	50-30%	10-20%	Powered
117-341	0.38:1	76 m	0.0% Fix	10-20%	No Zoom
112-499	0.76:1	152 m	0.0% Fix	10-20%	No Zoom

Status 2019 Discontinued (EOL) // Last update of the data: 2025-11-22
 Created: 2020-04-08 17:21:40





HCinema

<https://www.projector-database.com/pro/digitalprojectionevisionlaser13000wu-en.html>

More Details

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.