

DUKANE CORPORATION

ImagePro 6773UL-B

V-Series Professional Installation Projector

7.300
Lumens

Key Features

7.300
Lumens

WUXGA
1920x1200

20,000
Hour Laser Life

5 Year
Warranty

Technical Specifications

Display Technology	3LCD
Native Resolution	WUXGA (1920 x 1200)
Maximum Resolution	4K (4096 x 2160)
Brightness (Typical)	7,300 Lumens
Brightness (Maximum)	7,600 Lumens
Contrast Ratio	3,000,000:1 (Dynamic)
Aspect Ratio	16:10 (Supports 4:3, 16:9, 21:9)
Light Source	Dual Blue Laser
Light Source Life	Up to 20,000 hours
Throw Ratio	Varies by lens selection
Projection Distance	2.5 to 68.5 ft (0.74 to 20.9m)
Lens Shift	+50/-10% Vertical, ±20% Horizontal
Lens Mount	Motorized Bayonet Style
Keystone Correction	±30° Vertical, ±40° Horizontal

Edit with  Canva

Geometric Correction	Spheres, Cylinders, Corner Angles
HDMI Inputs	2x HDMI 2.0 with HDCP 1.4/2.2
HDBaseT	Yes, with HDCP 1.4/2.2
Audio Output	Stereo Mini Jack
Control	RS-232, IR, DDC/CI, LAN
Network	RJ-45 Ethernet, AMX/Crestron/Extron Compatible
Power Requirements	100-240V AC, 50/60Hz
Power Consumption	456W (Normal), 412W (Eco)
Standby Power	0.16W
Installation	Floor/Ceiling, Front/Rear, Roll-Free 360°
Dimensions (WxDxH)	19.8 x 16.2 x 6.6 in (503 x 411 x 168mm)
Weight	24.7 lbs (11.2 kg)
Fan Noise	40 dB (Normal), 31 dB (Eco)
Operating Temperature	32-113°F (0-45°C)
Operating Humidity	20-85% (Non-Condensing)
Warranty	5 Years or 20,000 hours
Chassis Color	Black

Optional Lenses

Model	Throw Ratio	Zoom	Type
XP-40ZL	0.79-1.11:1	1.4x	Short Throw
XP-41ZL	1.30-3.02:1	2.3x	Standard
XP-43ZL	2.99-5.93:1	2.0x	Long Throw
XP-44ML	0.32:1	1.0x	Ultra Short Throw
XP-50ZL	0.6-0.76:1	1.25x	Short Throw

* Legacy NEC lenses also supported: NP11FL, NP12ZL, NP13ZL, NP14ZL, NP15ZL

In The Box

Remote Control with Batteries

Power Cord

Cable Cover

Quick Start Guide

Product Registration Card

Optional Accessories

RMT-PJ40 Replacement Remote Control

XP-10CV-W/B Terminal Cover (White/Black)

PA600CM Ceiling Mount

AEC006009 Adjustable Extension Column (6"-9")

AEC012018 Adjustable Extension Column (12"-18")

AEC0203 Adjustable Extension Column (2"-3")

AEC0305 Adjustable Extension Column (3"-5")

XP-01LK Mounting Bracket for XP-44ML

Dukane Corporation

Audio Visual Products Division

2900 Dukane Drive, St. Charles, IL 60174

Phone: 888-245-1966 | dukaneavsales@dukane.com

www.dukane.com/av

Specifications subject to change without notice.

© 2026 Dukane Corporation