

Dukane ImagePro 8972W

DUKANE IMAGEPRO 8972W



With the ImagePro 8972W, manufacturer Dukane offers a stationary LCD projector with WXGA 1280 x 800 resolution and a contrast of 3000:1. The projector is equipped with an integrated media player, so direct playback of files will not be a problem. Thanks to the brightness of 4000 Ansi lumens, a picture width of 643 cm is possible. The projector can also handle slightly brighter rooms with a smaller picture width (we recommend max. 429 cm). Furthermore, it is Full HD 1080P compatible and even has the option of projecting HD 1080P Blu-rays onto the ceiling using 360° projection. The model was built by Dukane in 2012 and is no longer current.



3 x 0,63" LCD TFT Panel
WXGA 16/10 Liquid Crystal Display

Brief Introduction

Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Offset

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

Projector
4000 / 2800 im Eco Mode
3000:1 full on/off
1,3333 min. Lumen

Screen
1600 Lux (bei 200 cm Screen)
3000:1 full on/off
0,534 min. Lumen

WXGA 1280 x 800

1.024.000 Pixel

UXGA 1600 x 1200 compressed

PAL, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Media player formats: • JPEG (.jpeg, .JPEG) • Bitmap (.bmp) • PNG (.png) • GIF (.gif) • Movie (.avi, .mov)

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Wide screen width or rooms with plenty of light (over 200 lumens).

245W UHP Lamp

Articel Nr.: 456-8970

2500 h. 4000 in Eco Mode

-

Powered


Powered

optional

optional

2 x 8W

2 x HDMI in
5 x BNC RGBHV in
2 x D-sub 15 pin in
S-Video in
Cinch Video in
Cinch Stereo in



USB Typ A,B in
Mini Jack Audio in und out
RS232C Din 9 pin
RJ45 in



Ceiling Mounting
Power
Size WxHxD
Operating Noise

Yes
355W
498 x 135 x 396 mm (19,6"x5,3"x15,6") 26,62 L/dm³
35 / 29 dB in Eco Mode

Weight
Keystone
Illumination

8,30 kg / 18,3 lbs.
-
-

Frequenz

-

Foot-Lamberts

149 fL / max. 643 cm screen width
511 cd/m²

Features

- Full HD 1080P compatible
- Integrated Mediaplayer
- Freeze
- Blackboard Modus
- User logo
- Eco Mode
- Kensington Slot
- Gamma correction
- 360° installable
- Password protection
- Remote control with mouse control
- PJLink™
- Control via web browser
- Optional Wi-Fi network compatible.
- Lan network compatible.
- Picture-by-picture
- DICOM simulation.

Optional

Object lens original	UL-705
Object lens original	SL-702
Object lens original	ML-703
Object lens original	LL-704
Object lens original	FL-701

Order here: <https://www.hcinema.de/lampen/shop-en.php?id=hc146>

Optional Lenses					
Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
UL-705	5.2-8.7:1	10.4-17.4 m			Powered
SL-702	1.3-1.9:1	2.6-3.8 m			Powered
ML-703	1.6-3.2:1	3.2-6.4 m			Powered
LL-704	3.1-5.2:1	6.2-10.4 m			Powered
Fix Optional Lenses					
FL-701	0.9:1	1.8 m			No Zoom

Status
Data

2012 Discontinued (EOL) // Last update of the data: 2023-08-04



More Details

HCinema

<https://www.projector-database.com/pro/dukaneimagepro8972w-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.