


# Epson EB-G7000W/NL



Manufacturer Epson offers the EB-G7000W/NL, a stationary LCD projector with WXGA 1280 x 800 resolution and a contrast ratio of 50000:1. It includes a lens shift and keystone correction function, which provides flexibility during installation. An image width of up to 819 cm is possible; if the image width is smaller (we recommend max. 546 cm), rooms with residual light are also no problem. If the image is still too small, the integrated edge blending software can help to project a large image with additional projectors. The model is also Full HD 1080P and 4K (compressed) compatible. Even projection onto the ceiling is possible thanks to the 360° projection. The model, built in 2016, is no longer offered by Epson.

## Brief Introduction

Beta 2.5

### Display Type

3 x LCD TFT Panel  
 WXGA 16/10 Liquid Crystal Display

### Ansi-Lumen

6500 / 5915 im Eco Mode

2600 Lux (bei 200 cm Screen)

### Contrast

50000:1 full on/off

50000:1 full on/off

### Black Level

0,1300 min. Lumen

0,052 min. Lumen

### Lens shift

Vert.: +/-67% Hori.: +/-30%

### Resolution

WXGA 1280 x 800  
 1.024.000 Pixel  
 HD4K 4096 x 2160 compressed

### Video Modes

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, 4K UHD (komprimiert), EDTV 480p, 576p

### Application

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Very large screen width and rooms with plenty of light and shaded daylight.

### Light Source

400W Lamp  
 Article Nr.: ELPLP93 / V13H010L93

### Light Life

3000 h. 4000 h. in Eco Mode

### Operating Costs

3,17% / 0,11 €

### Focus

Powered

### Zoom

Powered 1,62

### Objective

optional

### Throw Ratio

optional

### Audio

-

### Connections

HDMI in  
 DVI-D in  
 D-sub 15pin in und out  
 5 x BNC RGBHV in  
 Mini Jack Audio in und out  
 RS232C Din 9 pin in  
 RJ45 in  
 HDBaseT in  
 USB Typ A,B

### Ceiling Mounting


Yes, is possible.

### Power

515 / 477W in Eco Mode


### Size WxHxD

525 x 189 x 472 mm (20,7"x7,4"x18,6") 46,83 L/dm<sup>3</sup>


















Operating Noise 39 / 31 dB in Eco Mode

Weight 12,70 kg / 26,46 lbs.  
 Keystone Vert.: +/-45°  
 Hori.: +/-30°  
 Illumination -  
 Frequenz -  
 Foot-Lamberts 242 fL / max. 819 cm screen width  
 829 cd/m<sup>2</sup>  
 ■ Full HD 1080P compatible  
 ■ Lens shift Funktion  
 ■ Eco Mode  
 ■ sRGB  
 Features ■ 360° installable  
 ■ 24/7 continuous operation capable  
 ■ Edge Blending  
 ■ Lan network compatible.  
 ■ Crestron®-Software compatible.  
 ■  
 Screen Mirroring -



**Optional accessories**

	Nackte Lampe	NLMP24769	234,54 €
	Lampe Ruby	Ruby-LMP24769	242,97 €
	Lampe Original	ELPLP93 / V13H010L93	318,78 €
	Kompatible Lampe	LMP-K23806	135,43 €
	Luftfilter Kompatibel	Alternative zu:ELPAF30 / V13H134A30	24,10 €
	Objektiv Original	V12H004UA3 / ELPLU03S	4.138,56 €
	Objektiv Original	ELPLU04 / V12H004U04	3.808,74 €
	Objektiv Original	V12H004Y01 / ELPLX01W	EOL €
	Objektiv Original	V12H004M0B / ELPLM11	1.715,47 €
	Objektiv Original	V12H004M0A / ELPLM10	1.715,47 €
	Objektiv Original	V12H004M08 / ELPLM08	554,15 €
	Objektiv Original	V12H004W05 / ELPLW05	1.717,85 €
	Objektiv Original	V12H004U03 / ELPLU03	EOL €
	Objektiv Original	V12H004M09 / ELPLM09	EOL €
	Objektiv Original	ELPLL08 / V12H004L08	2.776,57 €
	Universal Fernbedienung	Fernb-uni-V3	22,31 €
	Fernbedienung Original	2173310	45,12 €
	Luftfilter Original	ELPAF30 / V13H134A30	46,71 €
	Deckenhalterung 220	Halterung45	83,60 €

**Optional Lenses**

Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					

ELPLW05	1.04-1.46:1	2.1-2.9 m	+/-67%	+/-30%	Powered
ELPLU04	0.87-1.06:1	1.7-2.1 m	+/-67%	+/-30%	Powered
ELPLU03	0.65-0.78:1	1.3-1.6 m	+/-67%	+/-30%	Powered
ELPLM11	4.84-7.39:1	9.7-14.8 m	+/-67%	+/-30%	Powered
ELPLM10	1.81-2.4:1	3.6-4.8 m	+/-67%	+/-30%	Powered
ELPLM09	2.15-3.49:1	4.3-7 m	+/-67%	+/-30%	Powered
ELPLM08	1.45-2.32:1	2.9-4.6 m	+/-67%	+/-30%	Powered
ELPLL08	7.2-10.12:1	14.4-20.2 m	+/-67%	+/-30%	Powered

Fix Optional Lenses

ELPLX01	0.35:1	0.7 m	+/-17%	+/-10%	No Zoom
---------	--------	-------	--------	--------	---------

Status 2016 Discontinued (EOL) // Last update of the data: 2024-11-08  
 Created: 2016-02-12 10:19:37

Data

More Details



# HCinema

<https://www.projector-database.com/pro/epsonebg7000wnl-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.