


Epson EB-L1070

EPSON EB-L1070



With the EB-L1070, manufacturer Epson offers an LCD laser projector with a resolution and contrast of 2500000:1. The manufacturer specifies a laser service life of 20000 hours, which is over 13.7 years if enjoyed for four hours a day. The integrated lens shift gives freedom when positioning the projector. Thanks to the brightness of 7000 Ansi lumens, a picture width of 729 cm is possible. The projector will also create slightly brighter rooms with a smaller picture width (we recommend max. 486 cm). Furthermore, the projector can play 1080P and 4K (compressed) without any problems, and even has the option of projecting HD 1080P and 4K (compressed) Blu-rays onto the ceiling thanks to 360° projection. This model is no longer offered by Epson, but is still very popular in our projector database.



3 x 0,79" LCD TFT Panel
XGA 4/3 Liquid Crystal Display

Projector

Screen

Room

Light

Source

Life

Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

7000 / 4900 im Eco Mode

2500000:1 full on/off

0,0028 min. Lumen

Vert.: +/-67% Hori.: +/-30%

XGA 1024 x 768 786.432 Pixel

UHD (4K2K) 3840 x 2160 compressed

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, 4K UHD (komprimiert), EDTV 480p, 576p

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Very large screen width and rooms with plenty of light and shaded daylight.

Laser

Article Nr.: ELPAF46 / V13H134A46

20000 h. 30000 h. in Eco Mode

0,00 € Laser

Powered

Powered 1,62

optional

optional

1 x 10W

HDMI HDCP 2.2 in

DVI-D in

D-sub 15pin in und out

5 x BNC RGBHV in

Cinch Audio in und out


Mini Jack Audio in und out

USB in

2333 Lux (bei 200 cm Screen)

2500000:1 full on/off

0,001 min. Lumen



Brief Introduction
Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

RS232C Din 9 pin in
RJ45 in
HDBaseT in



Ceiling Mounting
Power
Size WxHxD
Operating Noise

Yes
416W / 299W in Eco Mode
545 x 164 x 436 mm (21,5"x6,5"x17,2") 38,97 L/dm³
36 / 30 dB in Eco Mode

Weight
Keystone
Illumination

16,90 kg / 35,27 lbs.
Vert.: +/-45°
Hori.: +/-30°
-

Frequenz


-

Foot-Lamberts

217 fL / max. 729 cm screen width
743 cd/m²

- Full HD 1080P compatible
- Lens shift Funktion
- Eco Mode
- 360° installable
- 24/7 continuous operation capable
- Optional Wi-Fi network compatible.
- Lan network compatible.
- Crestron®-Software compatible.

Features



Optionaler Zubehör

	Objektiv Original	ELPLL08 / V12H004L08	3.397,61 €
	Objektiv Original	V12H004U03 / ELPLU03	EOL €
	Objektiv Original	V12H004W05 / ELPLW05	1.940,84 €
	Objektiv Original	V12H004M08 / ELPLM08	630,95 €
	Objektiv Original	V12H004M0A / ELPLM10	1.940,84 €
	Objektiv Original	V12H004M0B / ELPLM11	1.940,84 €
	Objektiv Original	ELPLM15 / V12H004M0F	1.684,86 €
	Objektiv Original	V12H004Y01 / ELPLX01W	EOL €
	Objektiv Original	ELPLW08 / V12H004W08	7.069,01 €
	Objektiv Original	ELPLW06 / V12H004W06	3.175,98 €
	Objektiv Original	ELPLU04 / V12H004U04	4.398,32 €

	Objektiv Original	V12H004UA / ELPLU03S	2.330,05 €
	Objektiv Original	V12H004L08 / NELPLL08	3.397,61 €
	Luftfilter Kompatibel	Alternative zu:ELPAF46 / V13H134A46	32,43 €
	Fernbedienung Original	2173310	53,78 €
	Luftfilter Original	ELPAF46 / V13H134A46	70,51 €
	Deckenhalterung Länge 225 mm	Halterung45	85,80 €

Optional Lenses					
Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
ELPLW08	1.18-1.86:1	2.4-3.7 m	+/-67%	+/-30%	Powered
ELPLW06	1.62-2.22:1	3.2-4.4 m	+/-67%	+/-30%	
ELPLW05	1.04-1.46:1	2.1-2.9 m	+/-67%	+/-30%	
ELPLU04	0.87-1.05:1	1.7-2.1 m	+/-67%	+/-30%	Powered
ELPLU03S	0.65-0.78:1	1.3-1.6 m	+/-67%	+/-30%	
ELPLM15	2.16-3.48:1	4.3-7 m	+/-67%	+/-30%	Powered
ELPLM11	4.85-7.38:1	9.7-14.8 m	+/-67%	+/-30%	Powered
ELPLM10	3.32-5.06:1	6.6-10.1 m	+/-67%	+/-30%	Powered
ELPLM08	1.45-2.32:1	2.9-4.6 m	+/-67%	+/-30%	Powered
ELPLL08	7.21-10.11:1	14.4-20.2 m	+/-67%	+/-30%	Powered

Fix Optional Lenses					
ELPLX01/ELPLX01W	0.35:1	0.7 m			No Zoom

Status 2020 Discontinued (EOL) // Last update of the data: 2024-11-08
Created: 2020-02-03 14:58:32



More Details



HCinema

<https://www.projector-database.com/pro/epsonebl1070-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.