


# Epson EB-L1070UNL

EPSON EB-L1070UNL



The EB-L1070UNL laser LCD projector from Epson has 7000 Ansi-Lumen, a contrast of 2500000:1 and a WUXGA 1920 x 1200 resolution. It is a laser projector with 20000 hours of light life, which is over 13.7 years with four hours of use per day. Includes a lens shift and keystone correction function, which provides freedom during installation. 7000 Ansi lumens ensure that a picture width of 850 cm is also possible. The projector creates rooms with residual light with a smaller image width, we recommend a maximum of 567 cm. The model is also compatible with Full HD 1080P and 4K (compressed) and can therefore project Blu-rays even onto the ceiling thanks to 360° projection. It was launched in 2020 and is no longer offered by the manufacturer Epson, but is still very popular in our projector database.

## Brief Introduction Beta 2.5

### Display Type

3 x 0,76" LCD TFT Panel  
WUXGA 16/9 Liquid Crystal Display

### Ansi-Lumen

7000 / 4900 im Eco Mode

3111 Lux (bei 200 cm Screen)

### Contrast

2500000:1 full on/off

2500000:1 full on/off

### Black Level

0,0028 min. Lumen

0,001 min. Lumen

### Lens shift

Vert.: +/-67% Hori.: +/-30%

### Resolution

WUXGA 1920 x 1200

2.304.000 Pixel

### Video Modes

UHD (4K2K) 3840 x 2160 compressed

### Application

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, 4K UHD (komprimiert), EDTV 480p, 576p  
Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Very large screen width and rooms with plenty of light and shaded daylight.

### Light Source

Laser

### Light Life

Article Nr.: ELPAF46 / V13H134A46

20000 h. 30000 h. in Eco Mode

### Operating Costs

0,00 € Laser

### Focus

Powered

### Zoom

Powered 1,62

### Objective

optional

### Throw Ratio

optional

### Audio


1 x 10W

### Connections

HDMI HDCP 2.2 in

DVI-D in

D-sub 15pin in und out



5 x BNC RGBHV in  
 Cinch Audio in und out  
 Mini Jack Audio in und out  
 USB in  
 RS232C Din 9 pin in  
 RJ45 in  
 HDBaseT in




Ceiling Mounting  
 Power  
 Size WxHxD  
 Operating Noise

Yes  
 416W / 299W in Eco Mode  
 545 x 164 x 436 mm (21,5"x6,5"x17,2") 38,97 L/dm³  
 36 / 30 dB in Eco Mode

Weight  
 Keystone  
 Illumination

16,90 kg / 35,27 lbs.  
 Vert.: +/-45°  
 Hori.: +/-30°  
 -



Frequenz  
 Foot-Lamberts

-  
 289 fL / max. 850 cm screen width  
 990 cd/m²

Features

- Full HD 1080P compatible
- Lens shift Funktion
- Eco Mode
- 360° installable
- 24/7 continuous operation capable
- Optional Wi-Fi network compatible.
- Lan network compatible.
- Crestron®-Software compatible.

Optionaler Zubehör

|  |                   |                       |            |
|--|-------------------|-----------------------|------------|
|  | Objektiv Original | ELPLL08 / V12H004L08  | 3.397,61 € |
|  | Objektiv Original | V12H004U03 / ELPLU03  | EOL €      |
|  | Objektiv Original | V12H004W05 / ELPLW05  | 1.940,84 € |
|  | Objektiv Original | V12H004M08 / ELPLM08  | 630,95 €   |
|  | Objektiv Original | V12H004M0A / ELPLM10  | 1.940,84 € |
|  | Objektiv Original | V12H004M0B / ELPLM11  | 1.940,84 € |
|  | Objektiv Original | ELPLM15 / V12H004M0F  | 1.684,86 € |
|  | Objektiv Original | V12H004Y01 / ELPLX01W | EOL €      |
|  | Objektiv Original | ELPLW08 / V12H004W08  | 7.069,01 € |

|                                                                                  |                              |                                     |            |
|----------------------------------------------------------------------------------|------------------------------|-------------------------------------|------------|
|     | Objektiv Original            | ELPLW06 / V12H004W06                | 3.775,98 € |
|    | Objektiv Original            | ELPLU04 / V12H004U04                | 4.398,32 € |
|   | Objektiv Original            | V12H004UA3 / ELPLU03S               | 4.730,05 € |
|  | Objektiv Original            | V12H004L08 /NELPLL08                | 3.397,61 € |
|  | Luftfilter Kompatibel        | Alternative zu:ELPAF46 / V13H134A46 | 32,43 €    |
|  | Fernbedienung Original       | 2173310                             | 53,78 €    |
|  | Luftfilter Original          | ELPAF46 / V13H134A46                | 70,51 €    |
|  | Deckenhalterung Länge 225 mm | Halterung45                         | 85,80 €    |

| Optional Lenses      |                                                                                                |             |         |         |         |
|----------------------|------------------------------------------------------------------------------------------------|-------------|---------|---------|---------|
| Name                 | Ratio                                                                                          | Distance    | Shift V | Shift H | Zoom    |
| Zoom Optional Lenses |                                                                                                |             |         |         |         |
| ELPLW08              | 1.18-1.86:1                                                                                    | 2.4-3.7 m   | +/-67%  | +/-30%  | Powered |
| ELPLW06              | 1.62-2.22:1                                                                                    | 3.2-4.4 m   | +/-67%  | +/-30%  |         |
| ELPLW05              | 1.04-1.46:1                                                                                    | 2.1-2.9 m   | +/-67%  | +/-30%  |         |
| ELPLU04              | 0.87-1.05:1                                                                                    | 1.7-2.1 m   | +/-67%  | +/-30%  | Powered |
| ELPLU03S             | 0.65-0.78:1                                                                                    | 1.3-1.6 m   | +/-67%  | +/-30%  |         |
| ELPLM15              | 2.16-3.48:1                                                                                    | 4.3-7 m     | +/-67%  | +/-30%  | Powered |
| ELPLM11              | 4.85-7.38:1                                                                                    | 9.7-14.8 m  | +/-67%  | +/-30%  | Powered |
| ELPLM10              | 3.32-5.06:1                                                                                    | 6.6-10.1 m  | +/-67%  | +/-30%  | Powered |
| ELPLM08              | 1.45-2.32:1                                                                                    | 2.9-4.6 m   | +/-67%  | +/-30%  | Powered |
| ELPLL08              | 7.21-10.11:1                                                                                   | 14.4-20.2 m | +/-67%  | +/-30%  | Powered |
| Fix Optional Lenses  |                                                                                                |             |         |         |         |
| ELPLX01/ELPLX01W     | 0.35:1                                                                                         | 0.7 m       |         |         | No Zoom |
| Status               | 2020 Discontinued (EOL) // Last update of the data: 2024-11-08<br>Created: 2020-02-03 12:56:02 |             |         |         |         |

|      |                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Data |      |
|      |                                                                                                                                                                                                                                                                                                                                                     |

More Details



HCinema

<https://www.projector-database.com/pro/epsonebl1070u-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.