

Epson EB Z8355W/U/NL

EPSON EB Z8355W/U/NL



Brief Introduction

Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

Ceiling Mounting

Power

Size WxHxD

Operating Noise

The Epson EB Z8355W/U/NL LCD projector has 8500 Ansi lumens, a contrast of 5000:1 and a WXGA 1280 x 800 resolution. The projector also offers a lens shift function that makes image adjustment child's play. 8500 Ansi lumens ensure that a picture width of 937 cm is also possible. The projector creates rooms with residual light with a smaller image width, we recommend a maximum of 625 cm. In the event that the image is still too small, the projector offers integrated edge blending software, with which several projectors can project a large image together. Furthermore, the projector can play 1080P without any problems. It was launched in 2012 and is no longer offered by the manufacturer Epson.

 3 x LCD TFT Panel
WXGA 16/10 Liquid Crystal Display

Projector 8500 3400 Lux (bei 200 cm Screen)

5000:1 full on/off 5000:1 full on/off

1,7000 min. Lumen 0,68 min. Lumen

Vert.: +/-70% Hori.: +/-20% motorisch

WXGA 1280 x 800

1.024.000 Pixel

PAL, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Very large screen width and rooms with plenty of light and shaded daylight.

2 x 340W UHE Lamp

Article Nr.: V13H010L73

2500 h. 3500 in Eco Mode

-

Powered

Powered 1,59

optional

optional

-


2 x HDMI 1.3a in
DVI-D mit HDCP in
5 x BNC RGBHV in
D-sub 15 pin in und out
SDI in
RJ45 in
RS232C
USB Typ A, B

Yes

968W / 773W in Eco Mode

534 x 167 x 734 mm (21"x6,6"x28,9") 65,46 L/dm³

40 / 35 dB in Eco Mode



Key: 203 cm

Weight

22,00 kg / 48,5 lbs.

Keystone

Vert.: +/-30°
Hori.: +/-20°

Illumination

90%

Frequenz

H-sync: 15-80 kHz
Range max.: 162 MHz

Foot-Lamberts

316 fL / max. 937 cm screen width
1083 cd/m²

Features

■ Full HD 1080P compatible

■ Lens shift Funktion motorisch

■ Eco Mode

■ sRGB

■ Edge Blending


■ Optional Wi-Fi network compatible.

■ Lan network compatible.

■ Crestron®-Software compatible.

■ EB Z8450WU is only available in white

■ DICOM simulation



Optionaler Zubehör			
	Einzel Nackte Philips Lampe	NLMP22286	254,18 €
	Einzel Lampe Ruby	Ruby-LMP22286	288,38 €
	Doppel Lampe Ruby	Ruby-LMP23376	594,54 €
	Einzel Lampe Original	ELPLP72 / V13H010L72	EOL €
	Doppel Lampe Original	ELPLP73 / V13H010L73	EOL €
	Doppel Kompatible Lampe	LMP-K21184	137,79 €
	Einzel Kompatible Lampe	LMP-K21182	85,91 €
	Universal Fernbedienung	Fernb-uni-V3	22,31 €
	Objektiv Original	ELPLM07 / V12H004M07	EOL €
	Objektiv Original	ELPLL07 / V12H004L07	2.541,40 €
	Objektiv Original	ELPLM06 / V12H004M06	2.541,40 €
	Objektiv Original	ELPLR04 / V12H004R04	EOL €
	Objektiv Original	ELPLS04 / V12H004S04	EOL €
	Objektiv Original	ELPLW04 / V12H004W04	2.541,40 €
	Luftfilter Kompatibel	Alternative zu:ELPAF23 / V13H134A23 / 1508956	39,57 €
	Fernbedienung Original	1512200	78,15 €
	Luftfilter Original	ELPAF23 / V13H134A23 / 1508956	68,13 €
	Deckenhalterung Länge 225 mm	Halterung45	85,80 €

Optional Lenses					
Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
ELPLW04	1.29-1.77:1	2.6-3.5 m	+/-70%	+/-20%	Powered

ELPLS04	1.71-2.78:1	3.4-5.6 m	+/-70%	+/-20%	Powered
ELPLM07	3.85-5.88:1	7.7-11.8 m	+/-70%	+/-20%	Powered
ELPLM06	2.64-4.03:1	5.3-8.1 m	+/-70%	+/-20%	Powered
ELPLL07	5.76-8.09:1	11.5-16.2 m	+/-70%	+/-20%	Powered

Fix Optional Lenses

ELPLR04	0.76:1	1.5 m	0.0% Fix	No Zoom
---------	--------	-------	----------	---------

Status Data 2012 Discontinued (EOL) // Last update of the data: 2024-11-08

More Details



HCinema

<https://www.projector-database.com/pro/epsonebz8355wu-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.