EX5260 Wireless XGA 3LCD Projector

Contact Us 800.463.7766

Mon-Fri 6am-8pm, Sat 7am-4pm PT



Reliable, wireless portable projector for bright, clear presentations.

Get performance you can count on and easy setup with the EX5260 wireless portable projector. Boasting 3,600 lumens of color/white brightness¹, it delivers bold, vibrant images — even in well-lit offices and conference rooms. Featuring XGA resolution (1024 x 768) — 1.5x more than SVGA — the EX5260 is ideal for detailed, text-heavy presentations. In addition to HDMI®, it supports quick wireless connectivity for projecting from tablets and smartphones while moving about the room². Plus, Epson® 3LCD projectors deliver remarkable color accuracy, with up to 3x Higher Color Brightness³ and up to 3x Wider Color Gamut⁴ over competitive DLP projectors.

Projection System: 3LCD, 3-chip technology Native Resolution: 1024 x 768 (XGA) Color Brightness: 3600 lumens¹ White Brightness: 3600 lumens¹ Throw Distance Calculator

Model: V11H843020

OUR PRICE: AFTER 8% SAVINGS:

\$599.99 **\$549.99**

Save \$50 Today

★★★★ Write a review

Overview

Specifications

Specifications Projector:

Projection System:

Epson 3LCD, 3-chip technology

Projection Method:

Front / rear / ceiling mount

Driving Method:

Poly-silicon TFT Active Matrix

Pixel Number:

786,432 dots (1024 x 768) x 3

Color Brightness - Color Light Output:

3600 lumens¹

White Brightness - White Light Output:

3600 lumens¹

Aspect Ratio:

4:3

Native Resolution:

1024 x 768 (XGA)

Resize:

 $800 \times 600 \text{ (SVGA)}$, $1152 \times 864 \text{ (SXGA)}$, $1280 \times 800 \text{ (WXGA)}$, $1280 \times 960 \text{ (SXGA2)}$, $1280 \times 1024 \text{ (SXGA3)}$, $1440 \times 900 \text{ (WXGA+)}$, $1400 \times 1050 \text{ (SXGA+)}$, $1600 \times 900 \text{ (WXGA++)}$, $1600 \times 1200 \text{ (UXGA)}$

Lamp Type:

210 W UHE

Lamp Life:

ECO mode: Up to 10,000 hours⁷
 Normal mode: Up to 6000 hours⁷

Throw Ratio Range:

1.48 (Zoom:Wide) 1.68 (Zoom: Tele)

Size - projected distance:

30" - 300" (0.9 - 9.1 m)

Keystone Correction:

Automatic: Vertical: ±30 degrees
Manual: Horizontal: ±30 degrees

USB Plug 'n Play:

- · Projects audio and video
- PC and Mac® compatible

Contrast Ratio:

Up to 15,000:1

Color Reproduction:

Up to 1.07 billion colors

General:

Temperature:

41° to 95° F

 5° to 35° C

Weight:

6.2 lb

Security:

Password Protect function

Projection Lens:

Type:

Optical Zoom (Manual)/Focus (Manual)

F-number:

1.49 - 1.72

Focal Length:

16.9 - 20.28 mm

Zoom Ratio:

Optical zoom 1.0 - 1.2

Projector Details:

Display Performance:

• NTSC: 480 lines

• PAL: 576 line

(Depends on observation of the multi-burst pattern)

Input Signal:

NTSC / NTSC4.43 / PAL / M-PAL / N-PAL / PAL60 / SECAM

Interfaces:

- HDMI x 1
- Computer/component video: D-sub 15 pin x 1
- Composite video: RCA (Yellow) x 1
- Audio in: RCA x 1 (White/Red)
- USB connector Type A x 1: PC-free USB and other, Wireless LAN
- USB connector Type B x 1: USB Plug 'n Play

Speaker:

2 W (mono)

Fan Noise:

ECO mode: 28 dBNormal mode: 37 dB

Projector Dimensions:

Including feet:

11.9" x 9.9" x 3.6" (W x D x H)

Excluding feet:

11.9" x 9.8" x 3.4" (W x D x H)

Remote Control:

Features:

Source search selection, power, volume, e-zoom, A/V Mute, freeze, menu, page up and down, help, auto, mouse functions

Operating Distance:

19.7 ft (6 m)

Operating Angle:

Right / Left: ±30 degreesUpper / Lower: ±15 degrees

Power:

Power Supply Voltage:

100 - 240 V ±10%, 50/60 Hz

Power Consumption:

ECO mode: 214 WNormal mode: 291 W

Copyright © 2000-2017 Epson America, Inc