Epson USA BrightLink 1480Fi



Brief Introduction Beta 2.5

2500000:1 and a WXGA 1366 x 768 resolution. The manufacturer specifies a laser service life of 20000 hours, which is over 13.7 years if enjoyed for four hours a day. Thanks to the horizontal and vertical keystone correction, the projector can be positioned very freely. An image width of up to 718 cm is possible as the projector has 5000 Ansi lumens. The projector can create rooms with residual light with a smaller image width, we recommend a maximum of 479 cm. Playing 1080P is also no problem for the projector. 3 x LCD TFT Panel

Display Type

₹ 5000

WXGA 16/9 Liquid Crystal Display

Ansi-Lumen Contrast Black Level

2500000:1 0,0020 min. Lumen

Offset

Application

WXGA 1366 x 768 Resolution 1.049.088 Pixel

Video Modes Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, EDTV 480p, 576p

Whiteboard | Training and company presentations, as well as product presentations.

Wide screen width or rooms with plenty of light (over 200 lumens).

Light Source Laser Light Life

20000 h. 30000 h. in Eco Mode

Operating Costs 0.00 € Laser

Focus Manual

No Zoom 1,85 Zoom

Objective F=1,5 f=3,9mm

Throw Ratio 0,27-0,5:1

Audio 2 x 8W

> 3x HDMI in + 1 x out D-sub 15pin in und out

Cinch Video in


Mini Jack Audio 3x in und out

Connections Microphone

USB in

RS232C Din 9 pin in

RJ45 in Sync in und out



Ceiling Mounting Yes Power

381W / 270W in Eco Mode Size WxHxD

459,7 x 375,9 x 462,3 mm (18,1"x14,8"x18,2") 79,52 L/dm3

Operating Noise 36 / 27 dB in Eco Mode

Weight 9,70 kg / 21,38 lbs.

Vert.: +/-3° Keystone Hori.: +/-3°

Illumination

Frequenz

Foot-Lamberts 206 fL / max. 718 cm screen width

706 cd/m²

■ Full HD 1080P compatible

■ Eco Mode

■ Kensington Slot

■ Wi-Fi network compatible.

Lan network compatible. ■ Short-throw projector

2019 Current model // Last update of the data: 2024-10-02

Created: 2020-03-18 20:06:26

Features

Status

Data






https://www.projector-database.com/pro/epsonusabrightlink1480fi-

en.html

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.



More Details