

Epson USA BrightLink 685Wi

EPSON USA BRIGHTLINK 685Wi



The BrightLink 685Wi LCD projector from Epson USA has 3500 ANSI lumens, a contrast ratio of 14000:1 and a WXGA 1280 x 800 resolution. The manufacturer specifies a lamp life of 10,000 hours, which would be over 13.7 years with 2 hours of viewing per day. The integrated media player can play files directly. A built-in horizontal and vertical keystone correction allows freedom when setting up the projector. The model offers a microphone jack and 16W speakers, so no additional audio equipment is needed for presentations or training. The brightness of 3500 ANSI lumens makes a screen width of 601 cm possible. The projector can also handle slightly brighter rooms with a smaller image width (we recommend max. 401 cm). The projector offers an interactive whiteboard function for interactive training and presentations. With the HDMI MHL port, the smartphone image can be transferred to the projector in full HD at 60 Hz using screen mirroring, and the smartphone is charged at the same time.



3 x 0,59" D9 LCD TFT Panel mit MLA

WXGA 16/10 Liquid Crystal Display with Micro Lense Array

Projector

3500 / 2900 im Eco Mode

14000:1 full on/off

0,2500 min. Lumen

Screen

1400 Lux (bei 200 cm Screen)

14000:1 full on/off

0,1 min. Lumen

WXGA 1280 x 800

1.024.000 Pixel

Pal, SECAM, NTSC, HDTV 720p, 1080i, EDTV 480p, 576p

Media player formats: .jpg .bmp .gif .png .avi (Motion- JPEG)

Whiteboard | Training and company presentations, as well as product presentations.

Medium screen width or rooms with a little more ambient light, max. 200 lumens.

250W Lamp

Article Nr.: ELPLP91 / V13H010L91

5000 h. 10000 h. in Eco Mode

-


Manual

No Zoom

F=1,6 f=3,76mm

0,28:1

16W



Brief Introduction

Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Offset

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

3 x HDMI mit MHL in
 2 x D-sub 15pin in und out
 USB Typ A,B
 RS232C Din 9 pin in
 Mini Jack Audio in und out
 RJ45 in
 Mikrofon in



Connections

Ceiling Mounting
 Power
 Size WxHxD
 Operating Noise

Yes, is possible.
 354 / 310W ImEco Mode
 367 x 149 x 400 mm (14,4"x5,9"x15,7") 21,87 L/dm³
 35 / 28 dB in Eco Mode

Weight
 Keystone
 Illumination

5,70 kg / 11,02 lbs.
 Vert.: +/-3°
 Hori.: +/-3°
 -

Frequenz

-

Foot-Lamberts


130 fL / max. 601 cm screen width
 445 cd/m²

Features

- Integrated Mediaplayer
- User logo
- Eco Mode
- Kensington Slot
- sRGB
- Password protection
- Optional Wi-Fi network compatible.
- Lan network compatible.
- Short-throw projector
- Crestron®-Software compatible.
- Digital zoom
- Whiteboard function.

Screen Mirroring

über HDMI MHL



Optional accessories

	Nackte Lampe	NLMP24101	70,51 €
	Lampe Ruby	Ruby-LMP24101	88,36 €
	Lampe Original	ELPLP91 / V13H010L91	105,02 €
	Kompatible Lampe	LMP-K24101	77,28 €
	Luftfilter Kompatibel	Alternative zu:V13H134A49 / ELPAF49	22,31 €
	Fernbedienung Original	2173589	25,87 €
	Luftfilter Original	V13H134A49 / ELPAF49	40,76 €
	Deckenhalterung 100-120	Halterung100	47,86 €



More Details



HCinema

<https://www.projector-database.com/pro/epsonusabrightlink685wi-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice.
HCinema is not responsible for any errors or omissions contained in product descriptions.