

Epson USA BrightLink 695Wi

EPSON USA BRIGHTLINK 695Wi



The Epson USA model BrightLink 695Wi is an LCD projector with WXGA 1280 x 800 resolution and a contrast of 14000:1. The lamp life is specified by the manufacturer as 10000 hours, which would be the equivalent of over 13.7 years at 2 hours a day. The projector is equipped with an integrated media player, so playing files directly will not be a problem. A built-in horizontal and vertical keystone correction allows freedom when setting up the projector. The projector is equipped with a microphone jack plug and 16W loudspeaker, so no additional loudspeakers are required for presentations or training. 3500 ANSI lumens ensure that an image width of 601 cm is also possible. The projector can handle rooms with low light with a smaller image width; we would recommend a maximum of 401 cm. The projector offers an interactive whiteboard function for interactive training and presentations. The HDMI MHL (Mobile High-Definition Link) port allows you to transfer a 1080p / 60 Hz image mirroring (screen mirroring) from your smartphone while simultaneously charging it via the port.



3 x 0,59" D9 LCD TFT Panel mit MLA

WXGA 16/10 Liquid Crystal Display with Micro Lense Array

Projector	3500 / 2900 im Eco Mode	Screen	1400 Lux (bei 200 cm Screen)
	14000:1 full on/off		14000:1 full on/off
	0,2500 min. Lumen		0,1 min. Lumen

WXGA 1280 x 800
1.024.000 Pixel

Pal, SECAM, NTSC, HDTV 720p, 1080i, EDTV 480p, 576p

Media player formats: .jpg .bmp .gif .png .avi (Motion- JPEG)

Whiteboard | Training and company presentations, as well as product presentations.
Medium screen width or rooms with a little more ambient light, max. 200 lumens.

250W Lamp

Article Nr.: ELPLP91 / V13H010L91

5000 h. 10000 h. in Eco Mode

-


Manual

No Zoom

F=1,6 f=3,76mm

0,28:1

16W



Brief Introduction
Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Offset

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

3 x HDMI mit MHL in
 2 x D-sub 15pin in und out
 USB Typ A,B
 RS232C Din 9 pin in
 Mini Jack Audio in und out
 RJ45 in
 Mikrofon in




Connections

Ceiling Mounting
 Power
 Size WxHxD
 Operating Noise

Yes, is possible.
 356 / 312W ImEco Mode
 367 x 149 x 400 mm (14,4"x5,9"x15,7") 21,87 L/dm³
 35 / 28 dB in Eco Mode

Weight
 Keystone
 Illumination
 Frequenz

5,80 kg / 11,02 lbs.
 Vert.: +/-3°
 Hori.: +/-3°
 -



Foot-Lamberts

130 fL / max. 601 cm screen width
 445 cd/m²

Features

- Integrated Mediaplayer
- User logo
- Eco Mode
- Kensington Slot
- sRGB
- Password protection
- Optional Wi-Fi network compatible.
- Lan network compatible.
- Short-throw projector
- Crestron®-Software compatible.
- Digital Zoom
- Whiteboard function.
- Fingertouch function and two pens: make annotations directly on the projected image using gesture control.

Screen Mirroring

über HDMI MHL

Optional accessories

	Nackte Lampe	NLMP24101	70,51 €
	Lampe Ruby	Ruby-LMP24101	88,36 €
	Lampe Original	ELPLP91 / V13H010L91	105,02 €
	Kompatible Lampe	LMP-K24101	77,28 €
	Luftfilter Kompatibel	Alternative zu:V13H134A49 / ELPAF49	22,31 €
	Fernbedienung Original	2173589	25,87 €
	Luftfilter Original	V13H134A49 / ELPAF49	40,76 €



Deckenhalterung 100-120

Halterung100

47,86 €

Status 2017 Current model // Last update of the data: 2025-04-07
Created: 2025-04-02 10:30:57

Data



More Details



HCinema

<https://www.projector-database.com/pro/epsonusabrightlink695wi-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.