

Epson USA PowerLite 760W

EPSON USA POWERLITE 760W



A brief introduction to the Epson USA PowerLite 760W. The LCD laser projector has a WXGA 1280 x 800 resolution and a contrast of 25000000:1. Manufacturer Epson USA specifies a service life of 20000 hours, which is over 13.7 years if enjoyed for four hours a day. The integrated media player can play files directly. Thanks to the horizontal and vertical keystone correction, the projector can be positioned very freely. As it is a short-throw projector, the projector can be positioned very close to the wall. For a 2 m wide picture, the projector only needs to be 50 cm away from the screen. In the event that the image is still too small, the projector offers integrated edge blending software, which allows several projectors to project a large image together. As the projector recognizes Miracast screen mirroring signals, it is possible to play videos with a high resolution and surround sound directly from a smartphone, tablet, PC (Android, Windows and iOS) via WLAN. Playing 1080P and 3D is also no problem for the projector. Even projection onto the ceiling is possible thanks to the 360° projection.

 3 x LCD TFT Panel
WXGA 16/10 Liquid Crystal Display

Projector	4100	Screen	1640 Lux (200 cm Screen width)
	25000000:1 full on/off		25000000:1 full on/off
	0,0002 min. Lumen		0 min. Lumen

Resolution
WXGA 1280 x 800
1.024.000 Pixel

Video Modes
Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, 3D, EDTV 480p, 576p

Media player formats: .JPEG, .bmp, .gif, .png, .avi, .mp4, .mov
DVD | HD Blu-ray (komprimiert) | 3D Blu-ray (komprimiert) | 4K-UHD-Blu-ray
Frame-Packing (Full HD 3D) | Side-by-Side | Top-and-Bottom
Frame Sequential (3D Ready)

Application
Short Distance | Wide screen width or rooms with plenty of light (over 200 lumens).

Light Source
Laser

Light Life
20000 h. / 30000 h. ECO

Operating Costs
0,00 € Laser


Focus
Manual

Zoom
Manual x1,35

Objective
F=1,6 f=3,7mm

Throw Ratio
0,25-0,35:1

Audio
16W Moaural



Brief Introduction
Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Offset

Resolution

Video Modes

Disc Recognition

3D Compatibility

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

- 3x HDMI in
- D-sub 15pin in und out
- Cinch Video in
- 2x Mini Jack Audio in und out
- 2x USB Typ B in
- USB Typ A in
- RS232C Din 9 pin in
- RJ45 in

Connections



- Ceiling Mounting: Yes, is possible.
- Power: 277W Normal / 214W Eco
- Size WxHxD: 429 x 195 x 475 mm (16,9"x7,7"x18,7") 39,74 L/dm³
- Operating Noise: 37 / 27 dB in Eco Mode

- Weight: 5,98 kg / 11,02 lbs.
- Keystone: Vert.: +/-3°
- Hori.: +/-3°

Illumination


Frequenz

Foot-Lamberts

Features

Screen Mirroring

- 152 fL / max. 651 cm screen width
- 521 cd/m²
- Real Full HD 3D
- Full HD 1080P compatible
- Direkt Power Off
- Integrated Mediaplayer
- Eco Mode
- Kensington Slot
- Warping
- 360° installable
- Edge Blending
- Picture-in-Picture
- Wi-Fi network compatible.
- Lan network compatible.
- Short-throw projector
- Dicom
- Android
- Miracast



Optional accessories

- Deckenhalterung Länge 100-120 mm Halterung120 47,86 €

Status 2023 Current model // Last update of the data: 2026-05-05

Data Created: 2023-01-27 11:49:26





HCinema

<https://www.projector-database.com/pro/epsonusausapowerlite760w-en.html>

More Details

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.