

Everest SX 861



A brief introduction to the Everest SX 861. The LCD projector has an XGA 1024 x 768 resolution and 2500 Ansi lumens. Thanks to the brightness of 2500 Ansi lumens, a picture width of 435 cm is possible. In room light, the picture should be max. 290 cm wide. The projector offers an interactive whiteboard function for interactive training courses and presentations. On the market since 2009, the model is no longer offered by the manufacturer Everest, but is still very popular in our projector database.

Brief Introduction

Beta 2.5

Display Type

3 x LCD TFT Panel
XGA 4/3 Liquid Crystal Display

Ansi-Lumen

2500

833 Lux (bei 200 cm Screen)

Contrast

-

-

Black Level

-

-

Offset

-

Resolution

XGA 1024 x 768

786.432 Pixel

Video Modes

UXGA 1600 x 1200 compressed

PAL, SECAM, NTSC, HDTV 720p, 1080i, EDTV 480p, 576p

Application

Whiteboard | Training and company presentations, as well as product presentations.

Medium screen width or rooms with little light, max. 100 lumens.

Light Source

200 / 180W im Eco Mode Lamp

Light Life

2000 h. 3000 h. in Eco Mode

Operating Costs

-

Focus

Manual

Zoom

Manual 1,2

Objective

F=1,65-1,93 f=18,53-22,18 mm

Throw Ratio

-

Audio

1 x 8W

Connections

DVI-I in

D-sub 15 pin in und out

S-Video in

Cinch Video in

Cinch Stereo in

RS232C Din 9 pin in

USB Typ B

Ceiling Mounting

Yes

Power

310W

Size WxHxD

325 x 97 x 260 mm (12,8"x3,8"x10,2") 8,2 L/dm³

Operating Noise

33 dB in Eco Mode

Weight

3,40 kg / 7,5 lbs.

Keystone

Vert.: +/-30° automatisch

Illumination

-

Frequenz


H-sync: 31-92 kHz

V-sync: 48-120 Hz

Foot-Lamberts

77 fL / max. 435 cm screen width

264 cd/m²



- Eco Mode
 - Automatic and manual vertical keystone correction
 - Remote control with laser pointer
 - Interactive Whiteboard
- 2009 Discontinued (EOL) // Last update of the data: 2023-09-20

Features

Status

Data

More Details



HCinema

<https://www.projector-database.com/pro/everestsx861-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.