

Hitachi CP AW312WNM

HITACHI CP AW312WNM



The Hitachi CP AW312WNM short-throw LCD projector has 3000 Ansi lumens, a contrast of 4000:1 and a WXGA 1280 x 800 resolution. The projector also offers an integrated media player for direct playback of files. The horizontal and vertical keystone correction provides leeway when setting up. Thanks to the short throw projection ratio of just 0.3:1, the projector is not distracting in the room. For a 2m wide image, the projector only needs to be 60 cm away from the screen. As the CP AW312WNM is equipped with a microphone jack plug and 16W speakers, no additional audio system is required for presentations or training courses. The model is also Full HD 1080P compatible. This model is no longer offered by Hitachi.

 3 x 0,59" LCD TFT Panel
WXGA 16/10 Liquid Crystal Display

Projector	3000	Screen	1200 Lux (bei 200 cm Screen)
	4000:1 full on/off		4000:1 full on/off
	0,7500 min. Lumen		0,3 min. Lumen

WXGA 1280 x 800
1.024.000 Pixel

UXGA 1600 x 1200 compressed

PAL, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Media player formats: Bmp, GIF, AVI, MOV

DVD | HD Blu-ray (komprimiert) | 3D-Blu-ray | 4K-UHD-Blu-ray

Short Distance | Medium screen width or rooms with a little more ambient light, max. 200 lumens.

250W Lamp

Articel Nr.: DT01411

2500 h. 4000 in Eco Mode

-

Manual

No Zoom

F=1,8 f=4,1mm

0,3:1

16W Mono

HDMI in
2 x D-sub 15 pin in 1 x out
S-Video in
Cinch Video in



Brief Introduction

Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Offset

Resolution

Video Modes

Disc Recognition

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

USB Typ A, B in
RS232C Din 9 pin in
Cinch Stereo in
Mini Jack Audio in
Mikrofon in
RJ45




Ceiling Mounting
Power
Size WxHxD
Operating Noise

Yes
370W
345 x 85 x 303 mm (13,6"x3,3"x11,9") 8,89 L/dm³
37 / 30 dB in Eco Mode

Weight
Keystone
Illumination
Frequenz
Foot-Lamberts

3,80 kg / 6,61 lbs.
Vert.: +/-5°
Hori.: +/-5°
-
H-sync: 31,5-106 kHz
V-sync: 56-120 Hz
Range max.: 150 MHz
111 fL / max. 556 cm screen width
380 cd/m²



Features

- Full HD 1080P compatible
- Direkt Power Off
- Integrated Mediaplayer
- Freeze
- Blank (Black screen button)
- Blackboard Modus
- User logo
- Eco Mode
- Kensington Slot
- Gamma correction
- Password protection
- Remote control with mouse control
- PJLink™
- Control via web browser
- Optional Wi-Fi network compatible.
- Lan network compatible.
- Overscan adjustable
- Short-throw projector
- Crestron®-Software compatible.

Optional

Remote original HL02881- R016F / HL03032 - R017H / HL02483
Lamp incl. air filter original DT01411 / DT01411M
Lamp incl. air filter original DT01181 / DT01251 / DT01381 / CPA222WNLAMP

Status

Order here: <https://www.hcinema.de/lampen/shop-en.php?id=fro22360>
2013 Discontinued (EOL) // Last update of the data: 2023-08-30
Created: 2013-03-06 10:20:23

Data



More Details



Hcinema

<https://www.projector-database.com/pro/hitachicpaw312wn-en.html>

