## TAC

## Hitachi CP L300



**Brief Introduction** 

Display Type

Light Source

Beta 2.5

A brief introduction to the Hitachi CP L300. The stationary LCD projector has a VGA 640 x 480 resolution and a contrast of 200:1. An image width of up to 151 cm is possible as the projector has 300 Ansi lumens. However, if room light is available, the picture should be max. 101 cm wide. The model is no longer offered by Hitachi.

1 x 1,3 TFT Panel VGA 4/3 Liquid Crystal Display

300 Ansi-Lumen

ω97 Lux (bei 203 cm Screen) Projector 200:1 full on/off 0.493 min. Lumen Contrast 200:1 full on/off Black Level 1,5000 min. Lumen

Offset

VGA 640 x 480 Resolution 307.200 Pixel Video Modes NTSC, Pal, Secam

Stationary | Permanent installation in the training room and meeting room as well as the

Application conference room.

Very narrow picture width and rooms with very little light.

250WMetalldampf Lamp Articel Nr.: DT00031

Light Life 1000 h.

21,65% / 0,71 € **Operating Costs** 

Manual **Focus** 

Manual Zoom

Objective

Throw Ratio

Audio

1 Computer(D-sub15 pin),

1-Video Input (Composite (RCA) x 1, Connections

S-Video (4-pin DIN)),

Ceiling Mounting Power Size WxHxD **Operating Noise** 

Lux:97 Lux Room light max.: 19 Lux Candela pro m<sup>2</sup>:31 cd/m<sup>2</sup> Foot-Lamberts:9 fL 4/3 screen width: 203 cm Screen:1 Gain

Weight Keystone Illumination Frequenz

9 fL / max. 151 cm screen width Foot-Lamberts

31 cd/m<sup>2</sup>

**Features** 

Lamp original DT00031

Optional Universal Remote original Fernb-uni-V3

Order here: https://www.hcinema.de/lampen/shop-en.php?id=1727

Status - Discontinued (EOL) // Last update of the data: 2023-08-04

Data

## More Details



Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.