Hitachi CP L550







Brief Introduction Beta 2.5

Display Type

Resolution

Video Modes

Light Source

The Hitachi model CP L550 is an LCD projector with VGA 640 x 480 resolution and a contrast of 200:1. An image width of up to 195 cm is possible. However, the image should be smaller in room light. We recommend max. 130 cm. The model was built by Hitachi in 1996 and is no longer current. Unfortunately, we can no longer offer replacement lamps for this model, neither originals nor replicas.

1 x 1,3" LCD TFT Panel VGA 4/3 Liquid Crystal Display

Ansi-Lumen 500 Contrast

Projector დ 162 Lux (bei 203 cm Screen) 200:1 full on/off 0.823 min. Lumen 200:1 full on/off 2,5000 min. Lumen

Black Level Offset

VGA 640 x 480 307.200 Pixel NTSC, Pal, Secam

2000 h.

Stationary | Permanent installation in the training room and meeting room as well as the

Lux:162 Lux

4/3 screen width:203 cm

Screen:1 Gain

Room light max.:32 Lux Candela pro m²:51 cd/m²

Foot-Lamberts:15 fL

Application

Very narrow picture width and rooms with very little light.

250W Metalldampf Lamp Articel Nr.: DT00061

conference room.

Light Life

Operating Costs

Powered **Focus**

Powered Zoom

Objective

Throw Ratio

Audio 3W Mono

1 Computer(D-sub15 pin),

1-Video Input (Composite (RCA) x 1,

S-Video (4-pin DIN)),

Ceiling Mounting

Connections

Features

Power

305W

Size WxHxD 320 x 170 x 460 mm (12,6"x6,7"x18,1") 25,02 L/dm³

Operating Noise

Keystone

H-sync: 15,8-37,0 kHz Frequenz V-sync: 60-75 Hz

Foot-Lamberts 15 fL / max. 195 cm screen width

51 cd/m²

Status 1996 Discontinued (EOL) // Last update of the data: 2023-08-04

Weight 10,50 kg / 23,15 lbs.

Illumination

Data

More Details



Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.