

Hitachi CP WU8440

HITACHI CP WU8440



The Hitachi model CP WU8440 is an LCD projector with WUXGA 1920 x 1200 resolution and a contrast of 3000:1, including an integrated media player for direct file playback. Includes a lens shift and keystone correction function, which provides freedom during installation. An image width of up to 658 cm is possible as the projector has 4200 Ansi lumens. The projector can create rooms with residual light with a smaller image width, we recommend a maximum of 439 cm. The projector was launched in 2012 and is no longer sold by the manufacturer, but is still very popular in our projector database.



3 x 0,76" LCD TFT Panel
WUXGA 16/9 Liquid Crystal Display

Projector	4200 / 2940	Screen	1867 Lux (bei 200 cm Screen)
Contrast	3000:1 full on/off		3000:1 full on/off
Black Level	1,4000 min. Lumen		0,623 min. Lumen

Vert.: +55% -0% Hori.: +/-10%

Resolution WUXGA 1920 x 1200

2.304.000 Pixel

PAL, SECAM, NTSC, HDTV 720p, 1080i, EDTV 480p, 576p

Media player formats: • JPEG (.jpeg, .JPEG) • Bitmap (.bmp) • PNG (.png) • GIF (.gif) • Movie (.avi, .mov)

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Wide screen width or rooms with plenty of light (over 200 lumens).

-

Articel Nr.: DT01281

2500 h. 3000 h. in Eco Mode

3,35% / 0,11 €

Powered


Powered 3

-

1,0-3,0:1

2 x 8W

2 x HDMI in
5 x BNC RGBHV in
2 x D-sub 15 pin in
S-Video in
Cinch Video in



Brief Introduction
Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

Cinch Stereo in
 USB Typ A,B in
 Mini Jack Audio in und out
 RS232C Din 9 pin
 RJ45 in



Ceiling Mounting
 Power
 Size WxHxD
 Operating Noise

Yes
 355W
 498 x 135 x 396 mm (19,6"x5,3"x15,6") 26,62 L/dm³
 35 / 29 dB in Eco Mode

Weight
 Keystone
 Illumination

8,62 kg / 19 lbs.
 Vert.: +/-35° automatisch
 -

Frequenz

-

Foot-Lamberts


173 fL / max. 658 cm screen width
 593 cd/m²

- Lens shift Funktion
- Integrated Mediaplayer
- Freeze
- Blackboard Modus
- User logo
- Eco Mode
- Automatic and manual vertical keystone correction
- Kensington Slot
- 360° installable
- Password protection
- PJLink™
- Control via web browser
- Lan network compatible.
- Crestron®-Software compatible.
- Picture-by-picture
- DICOM support.

Features

Object lens original	UL-705
Object lens original	SL-702
Air filter original	MU06642
Object lens original	ML-703
Object lens original	LL-704
Remote control original	HL02801 / R100
Object lens original	FL-701
Lamp original	DT01281

Order here: <https://www.hcinema.de/lampen/shop-en.php?id=hc146>



Optional

Optional Lenses					
Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
UL-705	5.2-8.7:1	10.4-17.4 m	50%	+/-10%	Powered
SL-702	1.3-1.9:1	2.6-3.8 m	50%	+/-10%	Powered
ML-703	1.6-3.2:1	3.2-6.4 m	55%	+/-10%	Powered
LL-704	3.1-5.2:1	6.2-10.4 m	50%	+/-10%	Powered
Fix Optional Lenses					
FL-701	0.9:1	1.8 m	0.0% Fix		No Zoom
Status	2012 Discontinued (EOL) // Last update of the data: 2023-08-04				

Data



More Details



HCinema

<https://www.projector-database.com/pro/hitachicpwu8440-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.