

Hitachi CP-WX9210

HITACHI CP-WX9210



The CP-WX9210 DLP projector from Hitachi has 8500 Ansi lumens, a contrast of 2500:1 and a WXGA 1280 x 800 resolution. The projector also offers a lens shift function that makes image adjustment child's play. The projector can illuminate an image width of up to 937 cm thanks to its 8500 Ansi lumens. The projector can create rooms with residual light with a smaller image width, we recommend a maximum of 625 cm. In the event that the image is still too small, the projector offers integrated edge blending software, which allows several projectors to project a large image together. Playing 1080P is also no problem for the projector. Even projection onto the ceiling is possible thanks to the 360° projection. On the market since 2013, the model is no longer offered by the manufacturer Hitachi.



1 x 0,65" DLP Chip
WXGA 16/10 Ti Digital Light Processing Chip

Brief Introduction

Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Projector

8500

2500:1 full on/off

3,4000 min. Lumen

Vert.: +65% -0% Hori.: +/-10%

WXGA 1280 x 800

1.024.000 Pixel

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Very large screen width and rooms with plenty of light and shaded daylight.

2 x 370W UHP Lamp

Article Nr.: DT01581

2000 h. 4000 h. in Eco Mode

12,29% / 0,43 €

Powered

Powered

optional

optional


Nein

Screen


3400 Lux (bei 200 cm Screen)

2500:1 full on/off

1,361 min. Lumen



Connections	2 x HDMI in DVI-D in D-sub 15pin in und out 5 x BNC RGBHV in BNC Video in USB Typ A in RS232C Din 9 pin in RJ45 mit HDBaseT in
Ceiling Mounting	Yes, is possible.
Power	-
Size WxHxD	537 x 170 x 515 mm (21,1"x6,7"x20,3") 47,01 L/dm³
Operating Noise	34 / 32 dB in Eco Mode



Weight	17,50 kg / 38,58 lbs.
Keystone	-
Illumination	-
Frequenz	-
Foot-Lamberts	316 fL / max. 937 cm screen width 1083 cd/m²
Features	■ Full HD 1080P compatible
	■ Lens shift Funktion
	■ Eco Mode
	■ Warping
	■ 360° installable
	■ 24/7 continuous operation capable
	■ Edge Blending
	■ Picture-in-Picture
	■ Optional Wi-Fi network compatible.
	■ Lan network compatible.
	■ Crestron®-Software compatible.
	■ DICOM Simulation
	■ Digital Zoom
	■ Picture-in-picture
	■ Picture-beside-picture
Screen Mirroring	-

Optional accessories

	Nackte Osram Lampe	NLMP22467	203,67 €
	Lampe Ruby	Ruby-LMP22467	251,03 €
	Lampe Original	DT01581	432,68 €
	Luftfilter Kompatibel	Alternative zu:UX39551	19,34 €
	Objektiv Original	USL-901	EOL €
	Objektiv Original	SD-903W	EOL €
	Objektiv Original	LL-905	EOL €
	Objektiv Original	UL-906	EOL €
	Objektiv Original	FL-900	EOL €
	Objektiv Original	SL-902	EOL €
	Universal Fernbedienung	Fernb-uni-V3	22,31 €
	Fernbedienung Original	HL02803 / R101	46,71 €
	Luftfilter Original	UX39551	56,23 €

Optional Lenses					
Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
USL-901	0.8-1:1	1.6-2 m	55%	+/-10%	Powered
UL-906	5.8-9.2:1	11.6-18.4 m	65%	+/-10%	Powered
SL-902	1.2-1.8:1	2.4-3.6 m	65%	+/-10%	Powered
SD-903W	1.7-2.6:1	3.4-5.2 m	65%	+/-10%	Powered
ML-904	2.5-3.9:1	5-7.8 m	65%	+/-10%	Powered
LL-905	3.7-6:1	7.4-12 m	65%	+/-10%	Powered
Fix Optional Lenses					
FL-900	0.4:1	0.8 m			No Zoom
Status	2013 Discontinued (EOL) // Last update of the data: 2025-03-03				

Data



More Details



HCinema

<https://www.projector-database.com/pro/hitachicpwx9210-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.