

Hitachi CP X268/A

HITACHI CP X268/A



Brief Introduction

Beta 2.5

With the CP X268/A, manufacturer Hitachi offers a standard portable LCD projector with XGA 1024 x 768 resolution and a contrast of 500:1. The projector is equipped with an integrated media player, so direct playback of files will not be a problem. 2500 Ansi lumens ensure that a picture width of 435 cm is also possible. However, if room light is available, the picture should be max. 290 cm wide. This model is no longer offered by Hitachi.

Display Type



3 x 0,63" LCD TFT Panel
XGA 4/3 Liquid Crystal Display

Ansi-Lumen

Contrast

Black Level

Offset

2500 / 2000 im Eco Mode
500:1 full on/off
5,0000 min. Lumen
833 Lux (bei 200 cm Screen)
500:1 full on/off
1,676 min. Lumen

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

XGA 1024 x 768
786.432 Pixel
UXGA 1600 x 1200 compressed
PAL, SECAM, NTSC, HDTV 720p, 1080i, EDTV 480p, 576p
Media player formats: jpeg, bmp, png, MPEG4 Video)
Standard-Portabel | External training and company presentations, as well as product presentations.
Medium screen width or rooms with little light, max. 100 lumens.
200W UHB Lamp
Articel Nr.: CPX260LAMP DT00751
2000 h. 3000 h. in Eco Mode

Manual


Manual 1,2

F=1,7-1,9 f=18,9-22,6 mm


1,48-1,77:1

1 x 1W

2 x D-sub 15pin in 1 x out
YUV in
Cinch Video in
S-Video in
Cinch Video in
Mini Jack in
RS232C Din 9 pin



USB (Wireless Lan)
 RJ45 in
 SD Card, USB 2.0 Memory (jpeg, bmp, png, MPEG4)



Ceiling Mounting: Yes
 Power: 310W
 Size WxHxD: 306 x 106 x 249 mm (12"x4,2"x9,8") 8,08 L/dm³
 Operating Noise: 39 / 33 dB in Eco Mode

Weight: 3,30 kg / 7,28 lbs.
 Keystone: Vert.: +/-30° automatisch
 Illumination: -

Frequenz: H-sync: 31,5-106 kHz
 V-sync: 56-120 Hz


Foot-Lamberts: 77 fL / max. 435 cm screen width
 264 cd/m²

- Direkt Power Off
- Integrated Mediaplayer
- Freeze
- Blank (Black screen button)
- Blackboard Modus
- User logo
- Eco Mode
- Automatic and manual vertical keystone correction
- Kensington Slot
- Gamma correction
- Password protection
- Remote control with mouse control
- Control via web browser
- Wi-Fi network compatible.
- Lan network compatible.
- Overscan adjustable
- De-interlacer with 3:2 pull down.

Please note: Im Prospekt englisch und deutsch sowie USA stimmt das Anschlussbild nicht.
 Technische Daten im Prospekt USA sind mit Vorsicht zu beachten.

	Lamp ruby	Ruby-LMP4907
	Lamp incl. air filter original	DT00751
	Compatible lamp	LMP-K15451
Optional	Universal Remote original	Fernb-uni-V3
	Air filter original	NJ22222
	Ceiling Mount 100-120	Halterung100

Status: Order here: <https://www.hcinema.de/lampen/shop-en.php?id=d17030>
 2006 Discontinued (EOL) // Last update of the data: 2023-08-04



More Details



HCinema

<https://www.projector-database.com/pro/hitachicpx268-en.html>

