## **Hughes-JVC D360**



**Brief Introduction** Beta 2.5

A brief introduction to the D360: The Hughes-JVC stationary ILA projector offers 6000 Ansi lumens, a contrast of 250:1 and HDTV 1920 x 1080 resolution. An image width of up to 787 cm is possible as the projector has 6000 Ansi lumens. The projector can create rooms with residual light with a smaller image width, max. 525 cm is recommended. The projector is no longer sold by the manufacturer.

დ2667 Lux (bei 200 cm Screen)

Lux:2667 Lux

16/9 screen width:200 cm

Screen:1 Gain

Room light max.:533 Lux Candela pro m<sup>2</sup>:850 cd/m<sup>2</sup>

Foot-Lamberts:248 fL

250:1 full on/off 10,764 min. Lumen

3 x ILA Chip **HDTV 16/9** 

Ansi-Lumen Contrast Black Level

Display Type

Offset Resolution

Video Modes

Application Light Source

Light Life

**Operating Costs** 

Zoom

Focus

Objective

Throw Ratio

Audio

Weight

Keystone

Connections Ceiling Mounting

Power

Size WxHxD Operating Noise 6000

250:1 full on/off 24,0000 min. Lumen

HDTV 1920 x 1080 2.073.600 Pixel PAL. SECAM. NTSC.

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Very large screen width and rooms with plenty of light and shaded daylight.

3000W Xenon Lamp

1000 h.

Manual

No Zoom

6600W

172,40 kg / 380,08 lbs.

Illumination

H-sync: 15-90 kHz Frequenz V-sync: 45-120 Hz

Foot-Lamberts 248 fL / max. 787 cm screen width

850 cd/m<sup>2</sup>

**Features** 

Status Data

More Details

- Discontinued (EOL) // Last update of the data: 2023-08-04



https://www.projector-database.com/pro/hughesjvc360-en.html

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions