

InFocus IN5318

INFOCUS IN5318



With the IN5318, manufacturer InFocus offers a standard portable DLP projector with WUXGA 1920 x 1200 resolution and a contrast of 2000:1. The integrated lens shift gives freedom when positioning the projector. An image width of up to 643 cm is possible as the projector has 4000 Ansi lumens. The projector creates rooms with residual light with a smaller image width, max. 429 cm is recommended. The model is also Full HD 1080P compatible. The model was built by InFocus in 2011 and is no longer current.



1 x 0,67" DC3 DLP Chip
WUXGA 16/9 Ti Digital Light Processing Chip

Projector	4000	Screen	1778 Lux (bei 200 cm Screen)
	2000:1 full on/off		2000:1 full on/off
	2,0000 min. Lumen		0,89 min. Lumen

Vert.: +35% -0% Hori.: +/-5%

WUXGA 1920 x 1200

2.304.000 Pixel

PAL, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Standard-Portabel | External training and company presentations, as well as product presentations.

Wide screen width or rooms with plenty of light (over 200 lumens).

330W UHP Lamp

Articel Nr.: SP-LAMP-073

1500 h. 2000 h. in Eco Mode

-

Manual


Manual 1,25

-

1,54-1,93:1

2 x 3W

HDMI in
DVI-D in
2 x D-sub 15 pin 1 x out
5 x BNC RGBHV in
YUV in
S-Video in
Cinch Video in
USB Typ B
RJ45 in
RS232C



Brief Introduction

Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

Ceiling Mounting

Yes

Power

-

Size WxHxD

401 x 111 x 318,5 mm (15,8"x4,4"x12,5") 14,15 L/dm³

Operating Noise

34 / 31 dB in Eco Mode

Weight

4,80 kg / 10,58 lbs.

Keystone

-

Illumination

-


Frequenz

H-sync: 15-106 kHz
V-sync: 50-120 Hz

Foot-Lamberts

165 fL / max. 643 cm screen width
565 cd/m²

- Features
- Full HD 1080P compatible
 - Lens shift Funktion
 - Eco Mode
 - 24/7 continuous operation capable
 - Optional Wi-Fi network compatible.
 - Lan network compatible.
 - Crestron®-Software compatible.



Optional Lenses					
Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
Long Throw Lens	1.93-2.89:1	3.9-5.8 m	40%	+/-5%	Manual
Fix Optional Lenses					
Short Throw Lens	0.77:1	1.5 m	0.0% Fix		No Zoom
Status	2011 Discontinued (EOL) // Last update of the data: 2023-08-04				



More Details



HCinema

<https://www.projector-database.com/pro/infocusin5318-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.