

InFocus in5554L

INFOCUS IN5554L



A brief introduction to the in5554L: The InFocus DLP projector offers 7000 Ansi lumens, a contrast of 2400:1 and a WXGA 1280 x 800 resolution. With the lens shift function, the projector can be positioned very freely. The projector can illuminate an image width of 850 cm well. Rooms with residual light can be created by the projector with a smaller image width, we recommend a maximum of 567 cm. In the event that the image is still too small, the projector offers integrated edge blending software, with which several projectors can project a large image together. Furthermore, the projector can play 1080P without any problems. Even projection onto the ceiling is possible thanks to the 360° projection. This model is no longer offered by InFocus.

Brief Introduction

Beta 2.5

Display Type

1 x 0,65" 12 Grad LVDS DDP2431 DLP Chip
WXGA 16/10 Ti Digital Light Processing Chip

Ansi-Lumen

7000 / 5140 im Eco Mode

2800 Lux (bei 200 cm Screen)

Contrast

2400:1 full on/off

2400:1 full on/off

Black Level

2,9167 min. Lumen

1,168 min. Lumen

Lens shift

Vert.: +60% -20% Hori.: +/-10%

Resolution

WXGA 1280 x 800

1.024.000 Pixel

Video Modes

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Application

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Very large screen width and rooms with plenty of light and shaded daylight.

Light Source

2 x 400W Lamp

Articel Nr.: SP-LAMP-082

Light Life

2000 h. 2500 h. in eco Mode

Operating Costs

17,68% / 0,58 €

Focus

Powered

Zoom

Powered

Objective

optional

Throw Ratio


optional

Audio

-

Connections

HDMI 1.4
DVI-D in
D-sub 15 pin in
5 x BNC RGBHV in
S-Video in
Cinch Video in
3G-SDI in und out



Ceiling Mounting

Power

Size WxHxD

Operating Noise

12V Trigger out

RS232C

RJ45 in

Yes

960 / 760W in Eco Mode

510 x 210 x 530 mm (20,1"x8,3"x20,9") 56,76 L/dm³

43 / 39 dB in Eco Mode

Weight

Keystone

20,00 kg / 44,09 lbs.

Vert.: +/-30°

Hori.: +/-30°

Illumination

-

Frequenz

H-sync: 15-108 kHz

V-sync: 48-120 Hz

Foot-Lamberts

260 fL / max. 850 cm screen width

891 cd/m²

- Features
- Full HD 1080P compatible

■ Lens shift Funktion

■ Eco Mode

■ Kensington Slot

■ Warping

■ 360° installable

■ 24/7 continuous operation capable

■ Edge Blending

■ Password protection

■ Lan network compatible.

■ Crestron®-Software compatible.

■ 6-segment RYGCWB and RGBCMY colour wheel.

Lamp original

Object lens original

Object lens original

Object lens original

Object lens original

Object lens original

SP-LAMP-082

LENS-079

LENS-078

LENS-077

LENS-076

LENS-075

Optional

Order here: <https://www.hcinema.de/lampen/shop-en.php?id=21759>


Optional Lenses					
Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
LENS-079	2.33-3.86:1	4.7-7.7 m	60-20%	+/-10%	Powered
LENS-078	5.56-8.67:1	11.1-17.3 m	60-20%	+/-10%	Powered
LENS-077	3.76-5.64:1	7.5-11.3 m	60-20%	+/-10%	Powered
LENS-076	1.31-1.87:1	2.6-3.7 m	60-20%	+/-10%	Powered
ENS-074	1.81-2.38:1	3.6-4.8 m	60-20%	+/-10%	Powered
Fix Optional Lenses					
LENS-075	0.8:1	1.6 m	0.0% Fix		No Zoom

Status

2013 Discontinued (EOL) // Last update of the data: 2023-09-20

Created: 2013-02-18 15:48:09

Data





HCinema

<https://www.projector-database.com/pro/infocusin5554l-en.html>

More Details

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.