

Jingrui LP 600E



Brief Introduction

Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Offset

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

Ceiling Mounting

Power

Size WxHxD

Operating Noise

Weight

Keystone

Illumination

Frequenz

Foot-Lamberts

Features

Status

Data

The LP 600E LCD projector from Jingrui has 1300 Ansi lumens, a contrast of 300:1 and an SVGA 800 x 600 resolution. 1300 Ansi lumens ensure that a picture width of 314 cm is also possible. However, if room light is available, the picture should be max. 209 cm wide. The model is no longer offered by Jingrui.



3 x LCD TFT Panel

SVGA 4/3 Liquid Crystal Display

Projector

1300

300:1

4,3333 min. Lumen

Screen

433 Lux (bei 200 cm Screen)

300:1

1,458 min. Lumen

SVGA 800 x 600

480.000 Pixel

XGA 1024 x 768 compressed

PAL, SECAM, NTSC

Standard-Portabel | External training and company presentations, as well as product

presentations.

Small screen width, rooms with very little ambient light below 100 lumens.

150W Lamp

-

-

-

-

-

-

-

-

Yes

170W

310 x 125 x 250 mm (12,2"x4,9"x9,8") 9,69 L/dm³

-

4,00 kg / 8,82 lbs.

Vert.: +/-15°

96%

-


40 fL / max. 314 cm screen width

137 cd/m²

-

- Discontinued (EOL) // Last update of the data: 2023-08-04

-





HCinema

<https://www.projector-database.com/pro/jingruilp600e-en.html>

More Details

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.