

JVC DLA DS1/U

JVC DLA DS1/U

D-ILA



The standard portable DLA DS1/U DILA has 1300 Ansi lumens and an SXGA+ 1365 x 1024 resolution. The projector can illuminate a picture width of up to 314 cm well thanks to the 1300 Ansi lumens. In room light, however, the picture width should ideally be less than 209 cm. The model built in 2002 is no longer offered by JVC. It should also be noted that there are unfortunately no longer any replacement lamps available for this projector, neither originals nor replicas.



3 x 0,9" D-ILA Chip
SXGA 4/3 Direct-Drive Image Light Amplification (D-ILA)

Projector
1300
-
-

Screen
433 Lux (bei 200 cm Screen)
-
-

SXGA+ 1365 x 1024
1.397.760 Pixel
UXGA 1600 x 1200 compressed
Video Modes NTSC, PAL, SECAM Pal 60 NTSC 4,43 DTV 480p HDTV 1080i, 720p
Standard-Portabel | External training and company presentations, as well as product presentations.
Application Small screen width, rooms with very little ambient light below 100 lumens.
Light Source 200W UHP Lamp
Light Life Articiel Nr.: BHL-5005-SG
2000 h.

-

Manual


Manual 1,32

-

1,9-2,5:1

1W Mono

Cinch Video in
1 x Cinch Audio mono in
D-sub 15pin in
Mini Jack in für PC
Control Port RS232C D sub 9pin
S-Video in
5 BNC in RGBHV



Ceiling Mounting Yes
Power 270W
Size WxHxD 290 x 132 x 350 mm (11,4"x5,2"x13,8") 13,4 L/dm³
Operating Noise -

Weight 6,00 kg / 13,23 lbs.
Keystone Vert.: +/-20°
Illumination 85%

Frequenz H-sync: 15-105 kHz
V-sync: 50-90 Hz


Foot-Lamberts 40 fL / max. 314 cm screen width
137 cd/m²

- Freeze
- Gamma correction
- 20x digital Zoom
- 3 still picture memory

Please note Das Modell JVC DLA-G3010ZG ist für die Welt DS1 nur für die USA.

Stationary operation lamp original BHL-5005-SG
Optional Replacement bulb with Replacement Housing original BHL-5005-001S

Status Order here: <https://www.hcinema.de/lampen/shop-en.php?id=1991>
2002 Discontinued (EOL) // Last update of the data: 2023-09-20



More Details



<https://www.projector-database.com/pro/jvcclads1-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.