JVC DLA M5000SC













Brief Introduction

Beta 2.5

Ansi-Lumen

Application

The DLA M5000SC DILA projector from JVC has 5000 Ansi lumens, a contrast of 1000:1 and an SXGA+ 1365 x 1024 resolution. Including a lens shift function, which provides freedom during installation. An image width of up to 616 cm is possible, if the image width is smaller (we recommend max. 411 cm), rooms with residual light are also no problem. If the image width is not sufficient, the projector offers integrated edge blending software, which allows several projectors to project a large image together. On the market since 2002, the model is no longer offered by the manufacturer JVC. It should also be noted that there are unfortunately no longer any replacement lamps available for the projector, neither original nor replicas. 3 x 0,9" D-ILA Chip

Display Type

SXGA 4/3 Direct-Drive Image Light Amplification (D-ILA)

5000

 ω 1667 Lux (bei 200 cm Screen)
 α
 1000:1 full on/off
 α
 1,672 min. Lumen
 Contrast 1000:1 full on/off Black Level 5,0000 min. Lumen

Lens shift Vert.: +/-50% Hori.: +/-30% motorisch

SXGA+ 1365 x 1024

Resolution 1.397.760 Pixel

UXGA 1600 x 1200 compressed

Video Modes NTSC, PAL, SECAM Pal 60 NTSC 4,43 HDTV 480i, 480p, 720p, 1080i

Stationary | Permanent installation in the training room and meeting room as well as the

conference room.

Wide screen width or rooms with plenty of light (over 200 lumens).

1600W Xenon Lamp Light Source Articel Nr.: QLL-0072-003

Light Life 1000 h.

Operating Costs

Focus Powered

Zoom Powered

Objective optional

Throw Ratio optional

Audio 1W Mono

> 5 x BNC RGBHV in D-sub 15pin in und out

Connections S-Video in

RS232C

Ceiling Mounting Yes Power 2.200W


Size WxHxD 660 x 368 x 793 mm (26"x14,5"x31,2") 192,6 L/dm³

Operating Noise 55dB

Shift: 75 cm

Weight 71,00 kg / 156,53 lbs. Keystone

Illumination



Frequenz

H-sync: 15-82 kHz
V-sync: 50-78 Hz

Shift: 60 cm

Shift: 60 cm

Shift: 75 cm

■ Lens shift Funktion motorisch

Features Gamma correction

■ Edge Blending

■ 10-bit digital gamma correction

Lamp original QLL-0072-003

Refurbished lamp original QLL-0072-002R

Order here: https://www.hcinema.de/lampen/shop-en.php?id=2019

Optional Lenses

Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
JVC GL-M4032SZ	3.05-7.02:1	6.1-14 m	+/-50%	+/-32%	Powered
Fix Optional Lenses					
JVC GL-M4015SG	1.53:1	3.1 m	+/-50%	+/-32%	No Zoom
JVC GL-M4010	0.96:1	1.9 m	0.0% Fix		No Zoom
Status	tatus 2002 Discontinued (EOL) // Last update of the data: 2023-08-04				

More Details

Data

Optional





Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.