

Kindermann CPD omega SV



Brief Introduction

Beta 2.5

A brief introduction to the CPD omega SV: The Kindermann LCD projector offers 350 Ansi lumens, a contrast of 100:1 and an SVGA 800 x 600 resolution. The projector will be able to illuminate a 163 cm image width well. However, if room light is available, the picture width should ideally not exceed 109 cm. On the market since 1996, the model is no longer offered by the manufacturer Kindermann. Unfortunately, we can no longer offer replacement lamps for this model, neither originals nor replicas.

Display Type

LCD TFT Panel
SVGA 4/3 Liquid Crystal Display

Ansi-Lumen

350 117 Lux (bei 200 cm Screen)

Contrast

100:1 full on/off 100:1 full on/off

Black Level

3,5000 min. Lumen 1,205 min. Lumen

Offset

-

Resolution

SVGA 800 x 600
480.000 Pixel

Video Modes

PAL, SECAM, NTSC, HDTV 720p, 1080i, EDTV 480p, 576p

Application

Stationary | Permanent installation in the training room and meeting room as well as the conference room.
Very narrow picture width and rooms with very little light.

Light Source

575W Metalldampf Lamp

Light Life

Articel Nr.: LMP2041
1000 h.

Operating Costs

-

Focus

Manual

Zoom

Manual 1,05

Objective

f=215-225 mm

Throw Ratio

-

Audio

2 x 5W

Connections

-

Ceiling Mounting

-

Power

850W

Size WxHxD

302 x 220 x 546 mm (11,9"x8,7"x21,5") 36,28 L/dm³

Operating Noise

-

Weight

-

Keystone

-

Illumination

-

Frequenz

H-sync: 14-100 kHz
Range max.: 120 MHz

Foot-Lamberts

11 fL / max. 163 cm screen width
38 cd/m²


Features

-

Status

1996 Discontinued (EOL) // Last update of the data: 2023-08-04

Data





HCinema

<https://www.projector-database.com/pro/kindermannncpdomegasv-en.html>

More Details

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.