

Lightware Traveler CS-11



Brief Introduction

Beta 2.5

The Traveler CS-11 DLP has 66 Ansi lumens, a contrast of 300:1 and an SVGA 800 x 600 resolution. As Lightware specifies the brightness of the projector in lumens, we have calculated an approximate Ansi lumen value in this case. 71 cm image width, the projector will be able to illuminate well. However, if room light is available, the picture width should ideally not exceed 47 cm. The projector is no longer sold by the manufacturer.



1 x DLP Chip
SVGA 4/3 Ti Digital Light Processing Chip

Display Type

Ansi-Lumen

Contrast

Black Level

Offset

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

Ceiling Mounting

Power

Size WxHxD

Operating Noise

Weight

Keystone

Illumination

Frequenz

Foot-Lamberts

Features

Optional

Status

Data

66 1100 Lumen

300:1 full on/off

0,2200 min. Lumen

SVGA 800 x 600

480.000 Pixel

NTSC, PAL, SECAM

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Very narrow picture width and rooms with very little light.

150W UHP Lamp

Articel Nr.: LA700

1000 h.

-

Manual

Manual 1,2

-

-

1 x 1W

S-Video: (1) Mini DIN 4-pin

Cinch Video D-sub 15pin in

-

-

-

-

-

-

-

-

2 fL / max. 71 cm screen width

7 cd/m²

■ Remote control with laser pointer

Bulb only Osram

Lamp ruby

Lamp original

Compatible lamp

NLMP2205


Ruby-LMP2205

LA700

LMP-K2205

Order here: <https://www.hcinema.de/lampen/shop-en.php?id=n2206>

- Discontinued (EOL) // Last update of the data: 2024-06-04





HCinema

<https://www.projector-database.com/pro/lightwaretravelercs11-en.html>

More Details

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.