

Mitsubishi UD8900U /BL


MITSUBISHI UD8900U /BL



The stationary UD8900U /BL 3D BrilliantColor DLP projector from Mitsubishi has 7500 Ansi lumens, a contrast of 2800:1 and a WUXGA 1920 x 1200 resolution. The integrated lens shift gives freedom when positioning the projector. An image width of up to 880 cm is possible as the projector has 7500 Ansi lumens. The projector can create rooms with residual light with a smaller image width, we recommend a maximum of 587 cm. In the event that the image is still too small, the projector offers integrated edge blending software, which allows several projectors to project a large image together. Even 1080P video signals are no problem for the projector, and it even has the option of projecting HD 1080P Blu-rays onto the ceiling using 360° projection. The model built in 2013 is no longer offered by Mitsubishi.

1 x 0,67" DLP Chip
WUXGA 16/9 Ti Digital Light Processing Chip

Projector 7500 / 3750 im singel lamp Mode
Contrast 2800:1 full on/off
Black Level 2,6786 min. Lumen
Lens shift Vert.: +50% -10% Hori.: +/-10%Resolution WUXGA 1920 x 1200
2.304.000 Pixel
WUXGA 1920 x 1200 compressed
Video Modes PAL, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p
3D Compatibility Frame Sequential (3D Ready)
Stationary | Permanent installation in the training room and meeting room as well as the conference room.
Very large screen width and rooms with plenty of light and shaded daylight.
Light Source 2 x 350W Lamp
Light Life Articiel Nr.: VLT-XD8600LP
2000 h. 4000 h. in Eco Mode
Operating Costs -
Focus Powered
Zoom Powered 1,35
Objective F=2,0-2,4 f=24,5-33,1 mm
Throw Ratio 1,65-2,23:1
Audio -



Brief Introduction
Beta 2.5

Connections	HDMI 1.3 in DVI-D HDCP in D-sub 15 pin in 5 x BNC RGBHV in S-Video in Cinch Video in RS232C in und out RJ45 in
Ceiling Mounting	Yes
Power	-
Size WxHxD	490 x 201 x 506 mm (19,3"x7,9"x19,9") 49,84 L/dm³
Operating Noise	-


Weight	16,00 kg / 35,27 lbs.
Keystone	-
Illumination	-

Frequenz	H-sync: 15-100 kHz V-sync: 50-95 Hz
----------	--

Foot-Lamberts	310 fL / max. 880 cm screen width 1062 cd/m²
---------------	---

- Full HD 1080P compatible
- Direkt Power Off
- Lens shift Funktion
- Freeze
- Blank (Black screen button)
- User logo
- Eco Mode
- Kensington Slot
- sRGB
- Gamma correction
- Warping

Features	■ 360° installable ■ 24/7 continuous operation capable ■ Edge Blending ■ Password protection ■ BrilliantColor™ ■ PJLink™ ■ Control via web browser ■ Lan network compatible. ■ Overscan adjustable ■ Crestron®-Software compatible. ■ Picture-by-picture ■ Model 'BL' black housing.
----------	---



Optional Lenses					
Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
OL-XD8000UZ	4.45-8.63:1	8.9-17.3 m	50-10%	+/-10%	Powered
OL-XD8000EZ	1.25-1.57:1	2.5-3.1 m	50-10%	+/-10%	
OL-XD2000TZ	2.84-4.61:1	5.7-9.2 m	50-10%	+/-10%	
OL-XD2000SZ	2.15-2.92:1	4.3-5.8 m	50-10%	+/-10%	Powered
OL-XD2000LZ	3.6-4.52:1	7.2-9 m	50-10%	+/-10%	
Fix Optional Lenses					
OL-XD2000FR	0.79:1	1.6 m	0.0% Fix		No Zoom

Status	2013 Discontinued (EOL) // Last update of the data: 2023-08-04
Data	Created: 2013-01-31 13:46:35

More Details



HCinema

<https://www.projector-database.com/pro/mitsubishiud8900u-en.html>

