nView LS1000

Brief Introduction

Beta 2.5

The standard portable nView LS1000 LCD projector has 1000 Ansi lumens, a contrast of 150:1 and an SVGA 800 x 600 resolution. The projector can illuminate an image width of up to 275 cm well thanks to the 1000 Ansi lumens. In room light, however, the image width should ideally be less than 183 cm. The projector is no longer sold by the manufacturer.

1000

LCD TFT Panel

SVGA 4/3 Liquid Crystal Display

Ansi-Lumen Contrast Black Level

Offset

Display Type

Projector 150:1 full on/off 6,6667 min. Lumen

Resolution

SVGA 800 x 600 480.000 Pixel

Video Modes

Standard-Portabel | External training and company presentations, as well as product

presentations.

- Lamp

Small screen width, rooms with very little ambient light below 100 lumens.

Light Source Light Life

Application

Operating Costs

manuell

Objective

Focus

Zoom

Audio

No Zoom

Throw Ratio

Connections Ceiling Mounting

Power Size WxHxD

Operating Noise

Lux:333 Lux Room light max.:67 Lux Candela pro m²:106 cd/m² Foot-Lamberts:31 fL

> 4/3 screen width:200 cm Screen:1 Gain

Weight Keystone Illumination

Frequenz

Foot-Lamberts 31 fL / max. 275 cm screen width

106 cd/m²

Features

Please note Status

- Discontinued (EOL) // Last update of the data: 2023-08-04

Data

More Details

https://www.projector-database.com/pro/nViewLS1000-en.html

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.