

Nec LT260

NEC LT260



The standard portable Nec LT260 DLP projector has 2100 Ansi lumens, a contrast of 1300:1 and an XGA 1024 x 768 resolution. The projector also offers an integrated media player that can be used to play files directly. Horizontal and vertical keystone correction makes image adjustment childs play. A picture width of up to 399 cm is possible as the projector has 2100 Ansi lumens. However, if room light is available, the image should be a maximum of 266 cm wide. It is also Full HD 1080P compatible. It was launched in 2002 and is no longer offered by the manufacturer Nec.

 1 x 0,69" DMD 12° DDR DLP Chip
XGA 4/3 Ti Digital Light Processing Chip

Projector	2100 / 1650 im Eco Mode	Screen	700 Lux (200 cm Screen width)
Contrast	1300:1 full on/off		1300:1 full on/off
Black Level Offset	1,6154 min. Lumen		0,54 min. Lumen

XGA 1024 x 768

786.432 Pixel

SXGA 1280 x 1024 compressed

NTSC, PAL, SECAM, NTSC 4.43, Pal 60 (HDTV1080p/60, HDTV1080p/50, HDTV 1080i/60, HDTV 1080i/50), 1280 x720 (HDTV720p)

Media player formats: idx-, Text-, HTML-, JPEG- und BMP-Format

Standard-Portabel | External training and company presentations, as well as product presentations.

Medium screen width or rooms with little light, max. 100 lumens.

220W DC NSH Lamp

Article Nr.: 50023919 / LT60LPK

2000 h.

-

Manual


Manual 1,21

F=2,5-2,9 f=28,2-33,6 mm

1,9-2,4:1

2W Mono

2 Eingänge: Mini D-Sub, 15-polig
Komponentensignal (YPbPr) und SCART-RGB via RGB
1 Ausgang: Mini D-Sub, 15-polig
1 Eingang: Cinch



S-VIDEO 1 Eingang: DIN 4-polig (Hoseidenbuchse)
 1 Eingang: 3,5 mm Stereo Klinkenstecker
 1 Eingang: 2 x CINCH (L/R)
 1 Eingang: 3,5 mm Stereo Klinkenstecker
 1 Eingang: DIN 8pin/USB Typ B
 USB 2 Eingänge: A und B-Typ
 PC Karte 1 Eingang: PCMCIA Typ-2

Ceiling Mounting
 Power
 Size WxHxD
 Operating Noise

Yes, is possible.
 280W
 260 x 92 x 275 mm (10,2"x3,6"x10,8") 6,58 L/dm³
 32 / 29 dB in Eco Mode

Weight
 Keystone
 Illumination
 Frequenz
 Foot-Lamberts


2,90 kg / 6,39 lbs.
 Vert.: +/-40°
 Hori.: +/-30°
 -
 H-sync: 15-100 kHz
 V-sync: 50-120 Hz
 Range max.: 135 MHz
 65 fL / max. 399 cm screen width
 223 cd/m²

- Full HD 1080P compatible
- Integrated Mediaplayer
- Freeze
- Eco Mode
- Kensington Slot
- sRGB
- Gamma correction
- Password protection
- Remote control with laser pointer und mouse control
- Optional Wi-Fi network compatible.
- Optional LAN network compatible.
- Crestron®-Software compatible.
- Digital Zoom
- Digital 3D Reform
- Advanced AccuBlend
- ChalkBoard — ‘draws’ and writes notes on a projected image.
- Colour Management System

Features

Screen Mirroring

-



Optional accessories

	Nackte Lampe	NLMP2452	90,42 €
	Lampe Ruby	Ruby-LMP2452	118,89 €
	Lampe Original	LT60LPK / 50023919	EOL €
	Kompatible Lampe	LMP-K18684	79,58 €
	Universal Fernbedienung	Fernb-uni-V3	22,31 €
	Fernbedienung Original	7N900351 / RD-391E	EOL €
	Deckenhalterung 100-120	Halterung100	47,86 €

Status 2002 Discontinued (EOL) // Last update of the data: 2026-06-09

Data





HCinema

<https://www.projector-database.com/pro/nect260-en.html>

More Details

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.