

Optoma ZK1320

OPTOMA ZK1320



The ZK1320 3D Laser DLP for large events has 11,500 ANSI lumens, a contrast ratio of 1100:1, and UHD (4K2K+) 3840 x 2400 resolution. The laser has a service life of 30,000 hours, which would be over 20.5 years if viewed for 4 hours a day. As the projector has horizontal and vertical keystone correction, it can be set up with plenty of space around it. The projector can illuminate images up to 934 cm wide thanks to its 11,500 ANSI lumens. The projector can handle rooms with residual light with a smaller image width; we would recommend a maximum of 623 cm. It is also Full HD 1080P and 4K as well as 3D compatible, meaning that all currently available Blu-ray formats can be recognized by the projector.



1 x TI 0,8" HEP DLP Chip
UHD 4/3 Ti Digital Light Processing Chip

Projector	11500	Screen	3833 Lux (bei 200 cm Screen)
	1100:1 full on/off		1100:1 full on/off
	10,4545 min. Lumen		3,494 min. Lumen

Display Type

Ansi-Lumen

Contrast

Black Level

Offset

Resolution

Video Modes

3D Compatibility

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

UHD (4K2K+) 3840 x 2400

9.216.000 Pixel / WUXGA E-Shift

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, 4K UHD, 3D, EDTV 480p, 576p

Frame-Packing (Full HD 3D) | Side-by-Side | Top-and-Bottom

Frame Sequential (3D Ready)

Event | Gaming | Very large screen width and rooms with plenty of light and shaded daylight.

DuraCore Laser

30000 h.

0,00 € Laser

Powered

Powered x1,15

optional

optional

2 x 10W


2x HDMI 2.0 in und 1x out

DisplayPort 4K

3D Sync in und out

Mini Jack Audio in und out

USB in



RS232C Din 9 pin in
HDBaseT
RJ45



Ceiling Mounting
Power
Size WxHxD
Operating Noise

Yes, is possible.
850W / 420W in Eco Mode
534,9 x 189 x 396 mm (21"x7,4"x15,6") 39,97 L/dm³
40 / 35 dB in Eco Mode

Weight
Keystone
Illumination

15,00 kg / 33,07 lbs.
Vert.: +/-20°
Hori.: +/-20°
95%

Frequenz

H-sync: 15-140 kHz
V-sync: 24-240 Hz

Foot-Lamberts

356 fL / max. 934 cm screen width
1220 cd/m²

- Real Full HD 3D
- Full HD 1080P compatible
- Direkt Power Off
- User logo
- Eco Mode
- Kensington Slot
- High Dynamic Range (HDR)
- Warping
- 360° installable
- 24/7 continuous operation capable
- Password protection
- Remote control with backlight
- Lan network compatible.
- Crestron®-Software compatible.
- Portrait projection
- Gaming mode
- Color management system
- Optoma Management Suite (OMS)?
- True AV Mute
- Cable remote control connection
- Telnet
- AMX
- Game mode Input latency: 4.5 ms @ 4K

Features

Screen Mirroring

-

Optional accessories

	Fernbedienung Original	BR-3074W / SP.72N03GC01	44,33 €
	Deckenhalterung 220	Halterung45	83,60 €

Optional Lenses

Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
BX-CTA28	0.34-0.37:1	0.7-0.7 m			Powered
BX-CTA23	4.8-8.64:1	9.6-17.3 m			Powered
BX-CTA22	2.4-4.8:1	4.8-9.6 m			Powered
BX-CTA21	1.8-2.4:1	3.6-4.8 m			Powered
BX-CTA20	1.44-1.8:1	2.9-3.6 m			Powered
BX-CTA12	0.9-1.3:1	1.8-2.6 m			Powered
BX-CTA11	0.78-0.9:1	1.6-1.8 m			Powered
BX-CTA08	1.25-2:1	2.5-4 m			Powered
BX-CTA07	1.3-1.8:1	2.6-3.6 m			Powered

Data



More Details



HCinema

<https://www.projector-database.com/pro/optomazk1320-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.