

Optoma ZU725T

EAN/UPC:5055387666955

OPTOMA ZU725T



The ZU725T 3D laser DLP has 7800 Ansi lumens, a contrast of 1100:1 and a WUXGA 1920 x 1200 resolution. The manufacturer Optoma specifies a service life of 30,000 hours, which is equivalent to over 20.5 years at 4 hours per day. The projector is equipped with an integrated media player, so direct playback of files will not be a problem. Includes a lens shift and keystone correction function, which provides freedom during installation. The projector can illuminate images up to 897 cm wide thanks to its 7800 Ansi lumens. The projector can create rooms with residual light with a smaller image width, we recommend a maximum of 598 cm. If the image is still too small, the integrated edge blending software can help to project a larger image with additional projectors. It is also Full HD 1080P and 3D compatible, meaning it can even project Blu-rays onto the ceiling thanks to 360° projection. This model is no longer offered by Optoma, but is still very popular in our projector database.



1 x DLP Chip
WUXGA 16/9 Ti Digital Light Processing Chip

Brief Introduction

Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

3D Compatibility

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Projector

7800

1100:1 full on/off

7,0909 min. Lumen

Vert.: +/-50% Hori.: +/-25%

WUXGA 1920 x 1200

2.304.000 Pixel

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, 3D, EDTV 480p, 576p

Media player formats: Mediaplayer

Frame-Packing (Full HD 3D) | Side-by-Side | Top-and-Bottom

Frame Sequential (3D Ready) | 2D-zu-3D Video Converter

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Very large screen width and rooms with plenty of light and shaded daylight.

DuraCore Laser

30000 h.

0,00 € Laser

Powered


Powered x1,6





Screen

3467 Lux (bei 200 cm Screen)

1100:1 full on/off

3,158 min. Lumen



Objective	f=18,72-29,59 mm	
Throw Ratio	1,25-2,0:1	
Audio	2 x 10W	
Connections	2x HDMI in HDBaseT 3D Sync Mini Jack Audio in und out USB-B Service in RS232C Din 9 pin in RJ45 in 12V Trigger	16/9 screen width:200 cm Screen:1 Gain
Ceiling Mounting	Yes	
Power	520 / 260W in Eco Mode	
Size WxHxD	486 x 176 x 432,5 mm (19,1"x6,9"x17")	
Operating Noise	36 / 34 dB in Eco Mode	
Weight	14,00 kg / 30,86 lbs.	
Keystone	Vert.: +/-55°	
Illumination	Hori.: +/-25°	
Frequenz	85%	
Foot-Lamberts	322 fL / max. 897 cm screen width	
Features	1103 cd/m² ■ Real Full HD 3D ■ Full HD 1080P compatible ■ Direkt Power Off ■ Lens shift Funktion ■ Integrated Mediaplayer ■ Eco Mode ■ Kensington Slot ■ High Dynamic Range (HDR) ■ Warping ■ 360° installable ■ 24/7 continuous operation capable ■ Edge Blending ■ Password protection ■ PJLink™ ■ Lan network compatible. ■ Crestron®-Software compatible. ■ Integrated warping and edge blending processor ■ AMX ■ IP5X dust-resistant, optical unit ■ portrait projection ■ Colour Management System (CMS) ■ True AV Mute ■ wired remote control connection	
Optional	Remote control original	
Status	2022 Discontinued (EOL) // Last update of the data: 2024-07-04	
Data	Created: 2022-11-14 10:38:07	

BR-3074W / SP.72N03GC01

Order here: <https://www.hcinema.de/lampen/shop-en.php?id=fro9002949>



More Details

HCinema

<https://www.projector-database.com/pro/optomazu725t-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.