

Panasonic PT RZ21K

PANASONIC PT RZ21K



The PT RZ21K Laser DLP has 20000 Ansi-Lumen, a contrast of 20000:1 and a WUXGA 1920 x 1200 resolution. Due to the laser, the projector is specified with 20000 hours of light life, which is over 13.7 years if enjoyed for four hours a day. The integrated lens shift gives freedom when positioning the projector. Thanks to the brightness of 20000 Ansi lumens, a picture width of 1437 cm is possible. The projector can also handle slightly brighter rooms with a narrower image width (we recommend max. 958 cm). In the event that the image is still too small, the projector offers integrated edge blending software, with which several projectors can project a large image together. Furthermore, it is Full HD 1080P compatible and can even project Blu-rays onto the ceiling thanks to 360° projection. This model is no longer offered by Panasonic, but is still very popular in our projector database.

Brief Introduction

Beta 2.5

Display Type



3 x 0,96" DLP Chip

WUXGA 16/9 Ti Digital Light Processing Chip

Ansi-Lumen

20000

8889 Lux (bei 200 cm Screen)

Contrast

20000:1 full on/off

20000:1 full on/off

Black Level

1,0000 min. Lumen

0,445 min. Lumen

Lens shift

Vert.: +/-55% Hori.: +/-20%

Resolution

WUXGA 1920 x 1200

2.304.000 Pixel

Video Modes

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

Application

Event | Very large screen width and rooms with plenty of light and shaded daylight.

Light Source

Laserdiode

Article Nr.: N2QAYB001052 /

N2QAYB001176

Light Life

20000 h.

Operating Costs

0,00 € Laser

Focus

Powered

Zoom

Powered

Objective

optional

Throw Ratio

optional

Audio

Nein

Connections

HDMI in


DVI-D in

2 x D-Sub 15 pin in

5 x BNC RGBHV in

DIGITAL LINK

2 x SDI in



RS232C in und out
RJ45 in

Ceiling Mounting
Power
Size WxHxD
Operating Noise

Yes, is possible.
1217 / 972W in Eco Mode
598 x 270 x 725 mm (23,5"x10,6"x28,5") 117,06 L/dm³
46dB

Weight
Keystone
Illumination

49,00 kg / 108,03 lbs.
Vert.: +/-40°
Hori.: +/-15°
90%

Frequenz

-

Foot-Lamberts


826 fL / max. 1437 cm screen width
2830 cd/m²

Features

- Full HD 1080P compatible
- Lens shift Funktion
- Eco Mode
- 360° installable
- 24/7 continuous operation capable
- Edge Blending
- PJLink™
- Lan network compatible.
- DIGITAL LINK

Screen Mirroring

-



Optional accessories

	Objektiv Original	ET-D75LE8	11.301,03 €
	Objektiv Original	ET-D75LE6	EOL €
	Objektiv Original	ET-D75LE50	6.703,67 €
	Objektiv Original	ET-D75LE30	3.991,38 €
	Objektiv Original	ET-D3LEW50	6.317,58 €
	Objektiv Original	ET-D3LEW200	EOL €
	Objektiv Original	ET-D3LEU100	48.774,98 €
	Objektiv Original	ET-D3LET80	16.202,38 €
	Objektiv Original	ET-D3LET30	7.301,51 €
	Objektiv Original	ET-D3LET40	10.304,21 €
	Objektiv Original	ET-D3LES20	4.760,00 €
	Objektiv Original	ET-D3LEW60	11.698,33 €
	Objektiv Original	ET-D75LE40	5.273,78 €
	Objektiv Original	ET-D75LE10	5.273,02 €
	Objektiv Original	ET-D75LE20	3.711,02 €
	Fernbedienung Original	N2QAYB001052 / N2QAYB001176	107,64 €
	Deckenhalterung 220	Halterung45	83,60 €

Optional Lenses

Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
ET-D75LE8	7.8-13.8:1	15.6-27.6 m	+/-55%	+/-20%	Powered
ET-D75LE6	0.9-1.1:1	1.8-2.2 m	+/-44%	+/-15%	Powered
ET-D75LE40	4.6-7.4:1	9.2-14.8 m	+/-55%	+/-20%	Powered
ET-D75LE30	2.4-4.7:1	4.8-9.4 m	+/-55%	+/-20%	Powered
ET-D75LE20	1.7-2.4:1	3.4-4.8 m	+/-55%	+/-20%	Powered
ET-D75LE10	1.3-1.7:1	2.6-3.4 m	+/-55%	+/-20%	Powered
ET-D3LEW60	0.92-1.1:1	1.8-2.2 m			Powered
ET-D3LEW201	0.65-0.85:1	1.3-1.7 m			Powered
ET-D3LEW200	0.65-0.85:1	1.3-1.7 m			Powered
ET-D3LET80	7.34-13.8:1	14.7-27.6 m			Powered
ET-D3LET40	4.61-7.41:1	9.2-14.8 m	+/-55%	+/-20%	Powered
ET-D3LET30	2.4-4.66:1	4.8-9.3 m	+/-55%	+/-20%	Powered
ET-D3LES20	1.67-2.41:1	3.3-4.8 m			

Fix Optional Lenses

ET-D75LE90	0.36:1	0.7 m	78--73%	+/-6%	No Zoom
ET-D75LE50	0.7:1	1.4 m	50% Fix		No Zoom
ET-D3LEW50	0.69:1	1.4 m			No Zoom
ET-D3LEU101	0.37:1	0.7 m			No Zoom
ET-D3LEU100	0.37:1	0.7 m			No Zoom

Status 2017 Discontinued (EOL) // Last update of the data: 2025-03-03
Created: 2017-02-07 16:42:22

Data



More Details



HCinema

<https://www.projector-database.com/pro/panasonicptrz21k-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice.
HCinema is not responsible for any errors or omissions contained in product descriptions.