

projectiondesign F1+ SXGA+

PROJECTIONDESIGN F1+ SXGA+



Brief Introduction

Beta 2.5

The projectiondesign F1+ SXGA+ DLP projector has 2500 Ansi lumens, a contrast of 2500:1 and an SXGA+ 1400 x 1050 resolution. Horizontal and vertical keystone correction makes setting up the image childs play. The projector can illuminate a picture width of up to 435 cm thanks to its 2500 Ansi lumens. In room light, however, the image width should ideally be less than 290 cm. With an operating noise of just 28 decibels, the model is very quiet compared to others. The projector was launched in 2004 and is no longer sold by the manufacturer.

 1 x 0,95" LVDS DLP Chip
SXGA 4/3 Ti Digital Light Processing Chip

Display Type

Ansi-Lumen
Contrast
Black Level
Offset

Projector 2500
2500:1 full on/off
1,0000 min. Lumen
Screen 833 Lux (200 cm Screen width)
2500:1 full on/off
0,334 min. Lumen

Resolution

SXGA+ 1400 x 1050
1.470.000 Pixel
UXGA 1600 x 1200 compressed

Video Modes

PAL, PAL-M, PAL-N, SECAM, NTSC, EDTV HDTV 720p, 1080i,
Standard-Portabel | External training and company presentations, as well as product presentations.

Application

Medium screen width or rooms with little light, max. 100 lumens.

Light Source

250W UHP Lamp
Article Nr.: 400-0184-00

Light Life

2000 h. 4000 h. in Eco Mode

Operating Costs

-

Focus

Manual

Zoom

Manual 1,27

Objective

F=2,75-3,1 f=33-42 mm

Throw Ratio


1,75-2,2:1

Audio

2 x 1W

Connections

2 x D-sub 15pin in 1 x out
DVI-D
YUV in
S-Video in
Cinch Video in
RS232 in und out
RJ45
USB
3 x Mini Jack in 1 x out





Ceiling Mounting
Power
Size WxHxD
Operating Noise

Yes, is possible.
350W
278 x 88 x 244 mm (10,9"x3,5"x9,6") 5,97 L/dm³
28dB

Weight
Keystone

3,40 kg / 7,5 lbs.
Vert.: +/-30°
Hori.: +/-15°

Illumination
Frequenz

-
H-sync: 15-150 kHz
V-sync: 48-190 Hz
Range max.: 205 MHz


Foot-Lamberts

77 fL / max. 435 cm screen width
264 cd/m²

- Features
- Freeze
 - Eco Mode
 - Kensington Slot
 - Gamma correction
 - 24/7 continuous operation capable
 - Remote control with laser pointer und mouse control
 - Lan network compatible.
 - Faroudja DCDi with pull down
 - 4 segment colour wheel
 - Digital Zoom
 - Case colour: white or grey

Screen Mirroring

-



Optional accessories

	Nackte Osram Lampe	NLMP3046	86,20 €
	Nackte Lampe	NLMP15503	131,20 €
	Lampe Ruby	Ruby-LMP3046	118,89 €
	Lampe Ruby	Ruby-LMP15503	121,77 €
	Lampe Original	R9801267 / 400-0003-00	EOL €
	Lampe Original	F1LAMP	EOL €
	Kompatible Lampe	LMP-K15560	60,99 €
	Universal Fernbedienung	Fernb-uni-V3	22,31 €
	Deckenhalterung 100-120	Halterung100	47,86 €

Optional Lenses



Name	Ratio	Distance	Shift V	Shift H	Zoom
Wide	1:1	200 m	58% Fix		No Zoom
Status	2004 Discontinued (EOL) // Last update of the data: 2026-06-09				

Data





HCinema

<https://www.projector-database.com/pro/projectiondesignf1plussxplus-en.html>

More Details

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.