

# Proxima DP5610

PROXIMA DP5610



## Brief Introduction

Beta 2.5

The Proxima DP5610 stationary LCD projector has 500 Ansi lumens, a contrast of 100:1 and a resolution. 500 Ansi lumens ensure that a picture width of 195 cm is also possible. However, if room light is available, the picture should be max. 130 cm wide. This model is no longer offered by Proxima. It should also be noted that, unfortunately, there are no more replacement lamps for the projector, neither originals nor replicas.



3 x LCD TFT Panel  
SVGA 4/3 Liquid Crystal Display

## Display Type

### Ansi-Lumen

### Contrast

### Black Level

### Offset

### Resolution

### Video Modes

### Application

### Light Source

### Light Life

### Operating Costs

### Focus

### Zoom

### Objective

### Throw Ratio

### Audio

500  
100:1 full on/off  
5,0000 min. Lumen

Screen  
162 Lux (bei 203 cm Screen)  
100:1 full on/off  
1.67 min. Lumen

SVGA 832 x 624

NTSC, PAL, SECAM

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Very narrow picture width and rooms with very little light.

250W Metaldampf Lamp

Articel Nr.: DP5610

1000 h.

Powered

Powered 1,67

F=1,77-2,95 f=44,9-74,9 mm

-

-

2 computer inputs (Mac und/or PC)  
2 video inputs  
4 stereo audio inputs

## Connections



## Ceiling Mounting

### Power

### Size WxHxD


### Operating Noise

-

-

298 x 149 x 459 mm (11,7"x5,9"x18,1") 20,38 L/dm³

-



|               |   |
|---------------|---|
| Weight        | 7,50 kg / 16,53 lbs.  |
| Keystone      | Vert.: +/-10°   |
| Illumination  | -   |
| Frequenz      | -   |
| Foot-Lamberts | 15 fL / max. 195 cm screen width<br>51 cd/m²                |
| Features      | ■ Remote control with mouse control                         |
| Status        | - Discontinued (EOL) // Last update of the data: 2023-08-04 |
| Data          |   |

More Details



HCinema

<https://www.projector-database.com/pro/proximadp5610-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.